BERRY=ALLOC®

HIGH PRESSURE LAMINATE



MADE IN **NORWAY**

Scandic-inspired quality **p.6**

ORIGINAL

An extended range of 53 contemporary designs **p.16**

STONE & GRAND AVENUE

Trends and technology come together **p.38** and **46**



EDITORIAL

The feeling of space is defined not only by volume, but above all by what you install on the floor. With BerryAlloc high pressure laminates, **aesthetics** combined with **high technology** have come of age.

The design of these **very durable floors** breathes harmony and elegance. Their primary asset? They are the toughest on the market, **winning prestigious contracts** such as those for Heathrow Airport, or the Milan 2015 Universal Exhibition. In high traffic, crowded environments, they have to stand up to high-traffic and crowded environments without appearing worse for wear.

BerryAlloc high pressure laminates are popular with architects who find they also work perfectly for private homes. The world of home décor has embraced them with enthusiasm. **So turn the page** to see what they can do for you. **9**



16 ORIGINAL





GRAND AVENUE 46



CON-**T**ENTS

- 6 MADE IN NORWAY
 - Scandic-inspired quality
- 8 MEET JOHN VONLI Explore BerryAlloc solutions
- 10 THE HIGH PRESSURE TECHNOLOGY

A peerless floor covering

16 ORIGINAL COLLECTION

An extended range of 53 designs

38 STONE COLLECTION

Mineral collection with a warm touch

46 GRAND AVENUE COLLECTION

On-trend collection for living it up

54 GUIDE TO COLLECTIONS

Snapshot of the collections

56 ACCESSORIES

A wide and easy-to-install range

BERRY=ALLOC°

4



THE TOUGHEST HIGH PRESSURE LAMINATE IN THE WORLD



BerryAlloc has been producing high-quality flooring since 1992. We revolutionized the floor industry in 1996 with the world's first glue-free locking system. Our floors are inspired by Scandinavia's nature, design and lifstyle. We place great emphasis on the floor's overall appearance and the combination of design and surface. BerryAlloc floors are renowned for their wonderful surfaces. Choose an OiledTouch to create a soft, inviting feeling or a deep WoodStructure for a vibrant surface, or how about AntiqueStructure, inspired by traditional wooden floors? BerryAlloc floors are beautiful to look at, but the secret to our unique quality lies within: the aluminium locking system - the world's strongest locking system - that ensures a perfect installation every time. With a sound-absorbing underlay attached to the back of the floorboards and the AquaResist HDF core that prevents the floor from absorbing moisture.



BERRY=ALLOC°

INTERVIEW

QUESTIONS FOR JOHN VONLI, GENERAL MANAGER OF BERRYALLOC NORWAY




You are the GM of BerryAlloc Norway, a bined. So, we were the first to manucompany with a history of change. Tell facture floor and wall coverings with us about the highlights of the companon-toxic glues or gas-releasing cheminy's development. I think the turning point was in the 1980s, when floor coverings really became popular. The Alloc floor was created in 1992, and in 1994 we began our environmental protection hydro-electric power. In terms of our program. This was a really new initiative, because at that time, no one was really bothered about environmental impact. In 2000, the company was bought by the Beaulieu International Group, and Let's talk about your Aluloc system. in 2004, we gained our environmental certificate and went global.

for the environment, innovation and perfecting the product, all three com-

cals. We have a strict charter for wood, with zero-use of tropical timber. We have also improved our production processes with the use of Norwegian skills and know-how, our patented systems are also rich in eco-friendly features.

Aluloc is really revolutionary, an aluminium assembly process that tolerates unusually high loads (1200 kg/linear What is in the company's DNA? Respect metre). Our high pressure laminate floors are an all-in-one system, totally reliable, the ideal laminate surface.









ALUMINIUM LOCKING SYSTEM


ULTRA-TOUGH

The ALULOC locking system, in durable aluminium, provides a solid, sealed floor surface that copes easily with heavy traffic, and can tolerate loads of up to 1200 kg per linear metre, making this high pressure laminate flooring the strongest on the market.

The aluminium assembly system makes the high pressure laminate floor covering quick and easy to install, needing no special tools. A smooth, secure click-locking system, even on large format sheets. Attractive benefits for all kinds of projects, whether public areas or private homes. What's more, we are so confident about the durability of these floors that we offer a lifetime guarantee for residential projects.


Technology available for the **STONE** and **GRAND AVENUE** collections.

HI-TECH HI-TECH









LAMINATE



Maximum strength

Unequalled in their solid strength, BerryAlloc laminate floors tolerate high traffic, impacts of various kinds and heavy loads.

Strong lock

Our floors can be installed without expansion profiles over an area of 225 m² or across a maximum length of 15 metres.

Revolutionary locking system

This efficient click-lock system is easy to install and secure.

Noise reduction

The Silent System, an acoustic underlay incorporated into our BerryAlloc laminates, cuts noise by more than 19 decibels.

Aquaresist

Aquaresist technology keeps moisture absorption.

Anti-static performance

Ensures a pleasant, interference-free environment for all electrical and electronic equipment.

100% sustainable development

Raw materials, manufacturing and production processes chosen to respect the environment.











HIGH PRESSURE

LAMINATE

Lifetime warranty

BerryAlloc high pressure laminate carries a lifetime warranty for residential premises, and a 10-year warranty for commercial premises. Ideal for all commercial, business and residential uses.

Top quality products

The solid, durable surface layer is pressed separately, and glued onto the coreboard. This process results in a plank that is significantly stronger than traditional laminate, and a durable, wear-resistant floor surface. With this kind of surface, these class 34/AC6 floors are extremely resistant to scratching and staining.

A wide selection of designs

Original or Grand Avenue: 2 formats (normal and XXL) and 63 designs. Stone: 6 designs, 2 tile sizes

Accessories suitable for all decors

For every type of floor, we offer accessories to suit your choice perfectly, so that your skirtings and edges are perfectly matched.



HIGH COMPRESSIVE STRENGTH



WITHSTANDS CHEMICALS



EASY















A wide collection of **53 designs** to suit all styles ORIGINAL WHITE PINE







ANTI STATIC & PRO COMFORT

The air is charged with electricity, and this is not just a figure of speech. Happily, BerryAlloc anti-static floors deal with the problem by instantly absorbing the static charge preventing any interference. In this day and age, with electronic equipment everywhere, this is an essential feature. Another advantage of our floors is that they don't draw in dust and dirt. A valuable, stay-clean feature, for home or in the office.






ALL WELCOME EVEN IMPACTS STAINS AND SCRATCHES

In this cheerful boutique-café, the owner has a happy smile every day. But with desserts to prepare, What she was looking for, first and products to sell and customers to foremost, was a floor covering

serve, Déolinda can sometimes the bar, or the number of shelves. don't frighten her.

good to live with, good to look at feel a bit overwhelmed. "I am or- and easy to clean. It was also imganised, so that things happen portant to find a tough one, beone after another", she laughs. cause Déolinda wanted to see her And inside these Brazilian walls, café always full. She finally chose life is rosy. When she took over the the BerryAlloc Original laminate premises, she began with a com- floor, and has never regretted it. plete redesign. Her first concern, Spilt cups, squashed cake, stiletto however, was not where to put heels or questionable footwear









The **OiledTouch** finish to our laminates is unparalleled for its sensation of comfort. The floor gives the serene, sensual effect of oiled parquet.





IN A SUNNY MOOD

Some professions demand light. Fashion designers, architects, interior decorators are fond of big windows and doorways into their showrooms or workshops. The same applies to loft-dwellers. But sunlight is harmful to colour, damaging to all kinds of materials. Not BerryAlloc laminates though. Even in very bright sunlight, their colour does not alter in the slightest.



SILENT MOTION


The noise level in a place depends mainly on the floor insulation. Noise and disturbance are no longer a problem in areas covered with BerryAlloc laminates. Each plank has a Silent System acoustic underlay. Footsteps, furniture being pulled or rolled along can hardly be heard from one room to the next. Rolling a chair along the floor in an open-plan office, or in a condo, is scarcily audible.







FORMAT: 1207 L x 193 W x 9 + 2 T mm



WHITE LIMED PINE Ref: 1730-4201 WoodStructure 2 Bevels EAN code: 7052870126307

60 mm skirting T-Profile 2,4 m 9320-4201 9411-400*



DELICATE PEAR

EAN code: 7052877358329

Ref: WD735832

PINE SILVER Ref: 1600-4211 Oiled 2 Bevels EAN Code: 7052870126222

60 mm skirting T-Profile 2,4 m 9320-4211 9411-4211



60 mm skirti 9320-3901 60 mm skirting T-Profile 2,4 m 9411-3901



LIGHT OAK Ref: WD658531 WoodStructure Oiled 2 Bevels EAN code: 7052876585313 60 mm skirting T-Profile 2,4 m

9411-8531

9320-8531



EAN code: 7052870126215 60 mm skirting 9320-4292



GREY VINTAGE OAK Ref: 1730-4691 WoodStructure Oiled 2 Bevels EAN code: 7052870126161 60 mm skirti 9320-4691 60 mm skirting T-Profile 2,4 m



LIGHT SAW OAK Ref: 1730-4681 WoodStructure Oiled EAN code: 7052870126352 60 mm skirting T-Profile 2,4 m 9320-4681



9411-4691















WHITE PAINTED MAPLE Ref: WD645671 WoodStructure Oiled 2 Bevels EAN code: 7052876456712





WHITE PINE Ref: WD655211 WoodStructure Oiled 4 Bevels EAN code: 7052876552117

9320-5211

9411-5211



Ref: 1600-4471 WoodStructure Oiled 2 Bevels EAN code: 7052870126260 60 mm skirting T-Profile 2,4 m 9320-4471

9411-4471



WoodStructure Oiled 2 Bevels EAN code: 7052870126277 60 mm skirting T-Profile 2,4 m 9320-4491

Ref: 1600-4491



WHITE OAK 2 STRIPS Ref: WD644512 EAN code: 7052876445129 60 mm skirting T-Profile 2,4 m 9320-5113 9411-5113

9320-5113



RAVEL WALNUT 2 STRIPS Ref: WD644812 EAN code: 7052876448120 60 mm skirting T-Profile 2,4 m

9411-4812

9320-4812



COPENHAGEN OAK Ref: 1600-4401 WoodStructure Oiled 2 Bevels EAN code: 7052870126024 60 mm skirting T-Profile 2,4 m 9320-4401

9411-4401



Ref: WD648522 WoodStructure Oiled EAN code: 7052876485224

60 mm skirting T-Profile 2,4 m 9320-8522 9411-8522

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

30

FORMAT: 1207 L x 193 W x 9 + 2 T mm



DRIFTWOOD ASH Ref: WD735241 Satin 2 Bevels EAN code: 7052877352419

60 mm skirting 9320-5241



SUMMER MAPLE 3 STRIPS ELEGANT BEECH 3 STRIPS Ref: 1600-4213 Ref: WD655453 WoodGrain WoodGrain EAN code: 7052870126239 EAN code: 7052876554531



WINTER OAK

Ref: 1730-4331

9320-4331

ELEGANT SOFT GREY OAK WoodStructure Oiled 2 Bevels EAN code: 7052870126314 60 mm skirting T-Profile 2,4 m

9411-4331



Ref: 1600-4461 Oiled 2 Bevels EAN code: 7052870126253 60 mm skirting T-Profile 2,4 m 9320-4461 9411-4461



WHITE OILED ASH 3 STRIPS

Ref: WD655113

EAN code: 7052876551134

CASTLE OAK 3 STRIPS Ref: WD734243 WoodGrain EAN code: 7052877342434 60 mm skirting T-Profile 2,4 m 9320-2915 9411-2915



OILED CLASSIC OAK 3 STRIPS Ref: WD645523 EAN code: 7052876455234 60 mm skirting T-Profile 2,4 m 9320-2915





CLASS 34 - AC6













OAK CARAMBA Ref: WD648521 EAN code: 7052876485217





SMOKED OAK 2 STRIPS Ref: WD655522 WoodStructure Oiled EAN code: 7052876555224 60 mm skirting T-Profile 2,4 m 9411-5522

9320-5522



NATURAL OAK 2 STRIPS Ref: WD644592 WoodStructure Oiled EAN code: 7052870126338 60 mm skirting T-Profile 2,4 m

9411-4592

9320-4592




EAN code: 7052876445211 60 mm skirting T-Profile 2,4 m 9320-4521 9411-3675

Ref: WD644521



SUMMER OAK Ref: 1730-4341 WoodStructure Oiled 2 Bevels EAN code: 7052870126321





CANYON LIGHT OAK Ref: 1730-8520 WoodStructure Oiled 2 Bevels EAN code: 7052870126369 60 mm skirting T-Profile 2,4 m

9320-8520



NATURAL CRACKED OAK Ref: 1600-4661 WoodStructure Oiled 2 Bevels EAN code: 7052870126291 60 mm skirting T-Profile 2,4 m

9411-4661

9320-4661



Ref: 1600-4411 WoodStructure Oiled 4 Bevels EAN code: 7052870126031 60 mm skirting T-Profile 2,4 m

9320-4411

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

9411-8520

32

60 mm skirting 9320-4213

9411-4411

FORMAT: 1207 L x 193 W x 9 + 2 T mm



CAPPUCCINO OAK Ref: WD645561 WoodStructure 2 Bevels EAN code: 7052876455616 60 mm skirting T-Profile 2,4 m 9320-5561 9411-5561



BROWN CRACKED OAK Ref: 1730-4621 WoodStructure 2 Bevels EAN code: 7052870126345 60 mm skirting T-Profile 2,4 m

9411-4621

9320-4621



Ref: 1600-4291 WoodStructure Oiled 2 Bevels EAN code: 7052870126246 60 mm skirting T-Profile 2,4 m 9320-4291 9411-4291



Ref: WD644552 Oiled EAN code: 7052876445525 60 mm skirting T-Profile 2,4 m 9320-4552 9411-4552



ELEGANT WALNUT 3 STRIPS Ref: WD655853 WoodGrain EAN code: 7052876558539

60 mm skirting T-Profile 2,4 m 9320-5853 9411-5853



ELEGANT MERBAU 2 STRIPS Ref: WD655812 WoodGrain EAN code: 7052876558126

60 mm skirtin 9320-2503 60 mm skirting T-Profile 2,4 m 9411-2503



ANTIQUE OAK Ref: WD644531 AntiqueStructure 4 Bevels EAN code: 7052876445310 60 mm skirting T-Profile 2,4 m 9320-4862 9411-4862



AMERICAN CHERRY Ref: WD644311 AntiqueStructure 4 Bevels EAN code: 7052876443118 60 mm skirting T-Profile 2,4 m

60 mm skirti 9320-4311





CLASS 34 - AC6











MOCHA OAK Ref: WD655511 NaturalStructure Mat 4 Bevels EAN code: 7052876555118





WALNUT SPLINT Ref: 1600-4131 WoodGrain 2 Bevels EAN code: 7052870126192 60 mm skirting T-Profile 2,4 m 9320-3534

9411-3534



ANTIQUE WENGÉ Ref: WD655011 AntiqueStructure EAN code: 7052876550113 ↑ 60 mm skirting 9320-5011



DARK SAW OAK Ref: 1600-4141 WoodStructure Oiled 2 Bevels EAN code: 7052870126208 60 mm skirting T-Profile 2,4 m

9411-4141


9320-4141



STOCKHOLM OAK Ref: 1730-4601 WoodStructure 2 Bevels EAN code: 7052870126154









Ref: WD648511 WoodStructure 2 Bevels EAN code: 7052876485118 60 mm skirting T-Profile 2,4 m

9320-8511

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

34

FORMAT: 1207 L x 193 W x 9 + 2 T mm

53 DESIGNS

CLASS 34 - AC6

HIGH PRESSURE HIGH TECH LOC ALUMINUM

SILENT SYSTEM SYSTEM COLLARS SYSTEM SYSTEM COLLARS SYSTEM SYST

CLASS 34 - AC6













LIGHT OAK SHIPDECK Ref: WD648531 WoodStructure Oiled Shipdeck EAN code: 7052876485316

60 mm skirting T-Profile 2,4 m 9320-8531 9411-8531



Ref: WD645542 WoodStructure Oiled Shipdeck EAN code: 7052876455425

60 mm skirting T-Profile 2,4 m



WHITE OILED OAK SHIPDECK NATURAL OAK SHIPDECK **2 STRIPS** Ref: 1600-4592 WoodStructure Oiled Shipdeck EAN code: 7052870126284

60 mm skirting T-Profile 2,4 m



OILED WARM BROWN OAK SHIPDECK Ref: WD645592 2 STRIPS Ref: WD634862 WoodStructure Oiled Shipdeck EAN code: 7052876455920

60 mm skirting T-Profile 2,4 m 9320-5592 9411-3534



OILED TEAK SHIPDECK Oiled ShipDeck EAN code: 7052876348628

60 mm skirting T-Profile 2,4 m



ELEGANT MERBAU SHIPDECK 2 STRIPS Ref: WD635812 WoodGrain ShipDeck EAN code: 7052876358122

9320-2503

1207 L x 193 W x 9 + 2 T mm 8 boards = 1,863 m² 36 boxes = 67,090 m² Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen




36

Mineral collection with a warm touch STONE **BLACK SLATE** 60 x 30 cm




STONE COLLECTION






Mineral spirit - Urban spirit 6 designs



























EAN code: 7052870164705 60 mm skirting T-Profile 2,4 m 63000761 63000768



5 63000759



63000766



Ref: 62000574 RusticStone EAN code: 7052870164699 60 mm skirting T-Profile 2,4 m 63000760 63000767 63000760



NATURAL SLATE 60x30 cm Ref: 62000570 RusticStone EAN code: 7052870164651



Ref: 62000572 EAN code: 7052870164675



SLATE 60x30 cm Ref: 62000571 StoneStructure EAN code: 7052870164668

1195 L x 303,4 W x 10,3 + 2 T mm 5 boards = 1,813 m² 39 boxes = 70,670 m²

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen









GRAND AVENUE COLLECTION





Plenty of space for living 10 designs

GRAND AVENUE COLLECTION

FORMAT: 2410 L x 241 W x 10,3 + 2 T mm



LA RAMBLA Ref: 62000578 WoodStructure Oiled 4 Bevels EAN code: 7052870164934


9320-5581

60 mm skirting T-Profile 2,4 m

9411-5581



ROYAL MILE Ref: 62000564 Brushed 4 Bevels EAN code: 7052870164590





PENNY LANE Ref: 62000565 WoodStructure Oiled 4 Bevels EAN code: 7052870164606 60 mm skirting T-Profile 2,4 m 63000755 63000763



Ref: 62000567 WoodStructure Oiled 4 Bevels EAN code: 7052870164620 60 mm skirting T-Profile 2,4 m 63000757 63000770



CHAMPS ELYSÉES Ref: 62000559 WoodStructure Oiled 4 Bevels EAN code: 7052870164552





SUNSET BOULEVARD Ref: 62000561 WoodStructure Oiled 4 Bevels EAN code: 7052870164567





RODEO DRIVE Ref: 62000566 WoodStructure Oiled 4 Bevels EAN code: 7052870164613





KU'DAMM Ref: 62000562 WoodStructure Oiled 4 Bevels EAN code: 7052870164576



Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

















MADISON AVENUE Ref: 62000568 WoodStructure 4 Bevels EAN code: 7052870164637





BROADWAY Ref: 62000563 WoodStructure Oiled 4 Bevels EAN code: 7052870164583







Collections	ORIGINAL	STONE	GRAND AVENUE
Dimensions (mm)	193 1207 9+2	303,4 195 10,3 + 2	241 2410 2410 10,3 + 2
Number of designs	53	6	10
Packaging Planks/box	8 planks 1,863 m²	5 planks 1,813 m²	4 planks 2,323 m ²
Box/pallet	36 boxes 67,090 m ²	39 boxes 70,670 m ²	39 boxes 90,606 m²
Ingenious locking system	HIGH TECH LOC ALUMINUM		
Built-in underlay	SILENT SYSTEM		
Top layer	HIGH PRESSURE RESIST STATIC STATIC		
Classification	34 / AC6		
Warranty Residential & Commercial	LIFE TIME GUARANTEE RESIDENTIAL COMMERCIAL		

ACCESSORIES ACCESSORIES

BERRYALLOC ACCESSORIES

A wide range of accessories, easy to install.

MOISTURE BARRIER



The Moisture Barrier underlay must always be used when installing BerryAlloc floor coverings over PVC, linoleum, ceramic tiles, cement and concrete surfaces.

Dimensions: 2600 x 10000 x 0,2 mm Ref: WD158235

WHITE SKIRTINGS

Leave white or paint to match the colour of the wall or another colour.



Modern skirting





80 mm skirting 2400 x 12 x 80 mm (L x W x T) Ref: 9330-3045



60 mm skirting 2400 x 14 x 60 mm (L x W x T) Ref: 9320-3045



Quarter Round 2400 x 14 x 14 mm (L x W x T) Ref: 9340-3045

MATCHING MDF-SKIRTING



60 mm skirting

The ideal solution for a stylish wall finish. 2400 x 14 x 60 mm (L x W x T)



Clips for skirting

- · For quick and simple installation of skirting,
- ideal when removing skirting for painting without causing damage to the wall.

Ref: 9310-0017

MATCHING MDF-PROFILES



2400 x 44 x 11,1 mm (L x W x T)

ALUMINIUM PROFILES



Reducer Aluminium silver 2000 x 46 x 11,7 mm (L x W x T) Ref:9421-3017 1000 x 46 x 11,7 mm (L x W x T) Ref: 9420-3017



T-Profile Aluminium silver 2000 x 46 x 11,7 mm (L x W x T) Ref: 9411-3017 1000 x 46 x 11,7 mm (L x W x T) Ref: 9410-3017



End profile Aluminium 2000 x 20 x 8,65-18 mm (L x W x T) Ref: 9430-3017



STARTER KIT ORIGINAL

The spacer blocks ensure the correct distance is maintained between the walls and floor during installation and the metal pull bar simplifies the installation of the final plank on each row.

Ref: WD180000



TAPPING BLOCK ORIGINAL

This is the ideal tool to use when installing BerryAlloc floors with their aluminium click system and prevents the click system from becoming distorted.

Ref: WD180003

LAMINATE CLEANING


Perfect maintenance for your laminate floor



The Cleaner Plus product is suitable for the first clean and for regular maintenance. No rinsing necessary. **Ref: WD180011**

BerryAlloc has the right flooring for all domestic and public spaces. In addition to natural wood floor, BerryAlloc also offers a complete range of laminates and vinyl flooring, and a wide choice of wall coverings. Discover the full BerryAlloc range at: www.berryalloc.com

Non-contractual document. Printing techniques may cause small variations in the colours shown. BerryAlloc reserves the right to modify its range without notice. Printing 08/16. Limited stocks available.







LAMINATE = PARQUET = WALLS = VINYL PLANKS

BIG FLOORCOVERINGS NV RIJKSWEG 442 8710 WIELSBEKE, BELGIUM Tel. +32 (0)56 67 66 11

info@berryalloc.com













