

2021 PRODUCT CATALOG





Growing Together, More Than Ever

Waring Commercial is proud of its relationship with Farmer Lee Jones and The Chef's Garden. an Ohio farm and institute that grows custom heirloom varieties of vegetables for high-end restaurants and now for at-home enjoyment. Chef's Garden is famed for its regenerative growing methods and innovative approaches to waste reduction, and Waring is renowned for high-performance kitchen equipment that helps foodservice operators be more efficient and reduce food waste through culinary creativity.

From Planet to Plate

Chef Jamie Simpson of the Culinary Vegetable Institute at The Chef's Garden is a passionate ambassador for using "every part of the plant from root to tip," and since the beginning has maintained minimal-waste policies in the kitchen as part of his overall mission at the CVI.

To sample their incredible assortment, visit culinaryvegetableinstitute.com/shop



THE CHEF'S GARDEN®





Waring Commercial, a global leader in foodservice equipment, is dedicated to providing innovative, reliable and value-driven solutions that inspire creativity, increase productivity and maximize profitability for the culinary community.

Waring introduced the first blender over 80 years ago in the USA. We honor our heritage as an innovator and specialist, continuing the expansion as a leading provider of BLEND – PREP – COOK – BREW solutions for the global foodservice industry. In 1977, our manufacturing roots were planted in McConnellsburg, PA, where we still build our iconic blenders today. Now, more than ever, Waring Commercial distinguishes itself as a brand of impact that empowers our customers to adapt, enhance and endure to overcome the challenges of today's rapidly changing commercial foodservice climate. Our commitment is to contribute to the global reduction of food waste through education, innovative products and unique solutions in the pursuit of a sustainable future.



Our Mission

Our Story

IMAGINE. INVENT. INSPIRE.









BLEND

Blenders	<i>}</i> –17
Immersion Blenders 18	8–23
Drink Mixers	-25

PREP

Food Processors	30–37
Juice Extractors & Citrus Juicers	38–41
Ice Cream Makers	42
Chocolate Melters	43
Planetary Mixers	44–45
Food Slicers	46
Knife Sharpener	47
Electric Knife	47
Wine Opener	47
Vacuum Sealer	48–49

Thermal Circulators	52–53
Food Dehydrator	54
Pasta Cooker & Rethermalizer	55
Grills	56–59
Ovens	60–63
Griddles	64
Countertop Burners & Induction Ranges	65
Deep Fryers	66
Waffle Makers & Specialty Waffle Makers	67–70
Syrup & Batter Dispensers	71
Gelato Panini Press	72–73
Crêpe Makers	74–75
Toasters	76–77

BREW

Coffee Brewers & Warmers80-	81
Coffee Urns	82
Hot Water Dispensers	83

New product development and design are guided by our core principles: Innovation, reliability and value. Our products are developed to help the industry achieve goals of efficiency and profitability while reducing labor costs and increasing productivity. Waring is the solutions specialist for your ever-changing foodservice needs.











Pulp Eject Juice Extractor 38-39



Luna Luna Series Planetary Mixers

44–45



GREEN SMOOTHIE BOWL

INGREDIENTS

1½ cups unsweetened almond milk
2 cups spinach, frozen
½ avocado
1 medium banana, frozen
1 cup fruit of choice, frozen
chia seeds
ground almonds
optional add-ins:
protein powder
bee pollen
collagen peptides

CORE EQUIPMENT

MX1200XTX XTREME Variable Speed Blender [to blend into smoothie bowl]

BLEND

CROSSOVER EQUIPMENT

WCO250X Convection Oven
I [to roast the almonds]
WFP16SCD 4-Quart Food Processor
I [to chop almonds]

Click here for full recipe.



Proudly Made in the USA.

Waring has been developing its blenders in the USA for over 80 years. A dedicated team of expert engineers continues to develop products, manufacture parts, and assemble our extensive line of blenders.

ISO 9001 Certified

Waring has demonstrated its commitment to worldclass quality management by implementing ISO 9001 standards and becoming ISO 9001 certified in our McConnellsburg, PA, manufacturing facility. We have joined an elite number of organizations worldwide who have achieved certification in this globally recognized quality standard.

IMAGINE. INVENT. INSPIRE.



	BLEND	BLENDERS FOR EVERY NEED		
CB15 Series	MX Series	Torq Series	Blade Series	BB155 Series
Ultra-Heavy-Duty One-Gallon Food & Beverage Blenders	Heavy-Duty Food & Beverage Blenders	Medium/Heavy-Duty Food & Beverage Blenders	Light/Medium-Duty Bar Blenders	Light-Duty Bar Blenders
3¾ [®] HP	31⁄2® HP	MOTOR POWER 2 HP	1 HP	34 HP
		CYCLES PER DAY		
100+	75+	50-74	25–49	1–25
3 control panel options, including LO/MED/HI/PULSE, 3-minute countdown timer, and variable speed	5 control panel options, including HI/LO/PULSE paddle and keypad, 30-second countdown timer, variable speed and reprogrammable settings	3 control panel options, including HI/LO/PULSE toggle switch, electronic keypad with 60-second countdown timer, and variable speed control dial	3 control panel options, including HI/LO/OFF/PULSE toggle switch, electronic touchpad controls, or touchpad control with timer	2-speed toggle switch
	CONI	AINER CAPACITY/JAR OPTIO	INS	
1-gallon copolyester or stainless steel (also available with easy-pour spigot)	64 oz. or 48 oz. stackable copolyester or 64 oz. stainless steel	64 oz. or 48 oz. copolyester or 64 oz. or 48 oz. stainless steel	48 oz. stackable copolyester or 48 oz. stainless steel	44 oz. copolyester or 32 oz. stainless steel
	US	AGE AND APPLICATION TYP		
Ultra-heavy-duty food and beverage prep	Heavy-duty food and beverage prep	Medium/heavy-duty food and beverage prep	Light/medium-duty beverage prep	Light-duty beverage prep
		GREAT FOR USE IN:		
Large Kitchens, Healthcare, Schools, Institutions, Restaurants	Kitchens, Healthcare, Schools, Institutions, Restaurants, Smoothie Shops, Coffee Shops, Bars	Kitchens, Healthcare, Schools, Institutions, Restaurants, Smoothie Shops, Coffee Shops, Bars	Smoothie Shops, Coffee Shops, Bars	Coffee Shops, Bars
RECOMMENDED APPLICATIONS				
Food Products, Refried Beans, Dressings, Salsas, Sauces, Soups, Doughs, Desserts, Smoothies and more	Food Products, Dressings, Salsas, Sauces, Soups, Doughs, Desserts, Smoothies Ice Cream Drinks, Frozen Fruit Smoothies, Iced Coffee Drinks, Frozen Drinks & Cocktails	Food Products, Dressings, Salsas, Sauces, Soups, Smoothies Ice Cream Drinks, Frozen Fruit Smoothies, Iced Coffee Drinks, Frozen Drinks & Cocktails	Smoothies, Ice Cream Drinks, Frozen Fruit Smoothies, Iced Coffee Drinks, Frozen Drinks & Cocktails	Frozen Drinks & Cocktai Blended Beverages
WARRANTY				
Limited Three-Year Motor and Two-Year Parts and Labor Warranty	Limited Three-Year Motor and Two-Year Parts and Labor Warranty	Limited Two-Year Warranty	Limited Two-Year Warranty	Limited Two-Year Warran
		MADE IN THE USA!*		



Ultra-Heavy-Duty One-Gallon | Food & Beverage Blenders

CB15 Series



The Waring[®] CB15P has your back when it comes to ultra-heavy-duty blenders, making 100+ drinks per day. Chop, mix and shred large loads that need long blending times with a powerful 3.75 HP motor and electronic keypad controls. The stackable, clear, 3.8 L, BPA-free copolyester container makes storage easy.



> watch video

Clean and Easy

1-piece removable jar pad design makes cleanup quick and easy. Pad lifts off to go right into the dishwasher.



Also Available with **Easy-Pour Spigot**

Designed for school smoothie programs!

Removable & easy to clean NSF certified Jar with spigot (CAC125)

Extra spigots available (CAC126)



- Heavy-duty, 3³/₄ peak HP motor
- Mix, purée and emulsify large loads that need long blending times
- Dishwasher-safe, 1-piece jar pad for easy cleaning
- BPA free all materials that come in contact with food
- Metal-on-metal stainless steel coupling system for heavy-duty commercial use
- Recommended applications: Dressings, salsas, soups, smoothies and more
- Great for use in large kitchens, schools, healthcare facilities
- Recommended for 100+ cycles per day

Limited 3-Year Motor Warranty, 2-Year Parts and Labor

120V, 60 Hz, 5-15P 🕠 cETLus, NSF

MODEL	CONTROL PANEL	CONTAINER
CB15		Stainless steel
CB15P	Electronic membrane panel with 3 speeds and PULSE	1-gallon copolyester
CB15SF		Stainless steel with easy-pour spigot
CB15V	Electronic membrane	Stainless steel
CB15VP	panel with variable speed control dial and	1-gallon copolyester
CB15VSF	PULSE	Stainless steel with easy-pour spigot
CB15T	Electronic membrane	Stainless steel
CB15TP	panel with 3 speeds, PULSE, and 3-minute	1-gallon copolyester
CB15TSF	electronic timer	Stainless steel with easy-pour spigot








WARING

MAX FILL -

BLEND 10

IEW



3 Control Panel Options

CB15V/CB15VP Variable speed control dial



CB15T/CB15TP 3-minute electronic timer





Heavy-Duty Food & Beverage

MX Series





- Heavy-duty, 3.5 peak input HP motor, max pulse with up to 30,000+ RPM burst of speed
- Optional sound enclosure reduces noise by over 50%
- 1-piece, dishwasher-safe, removable jar pad
- BPA free all materials that come in contact with food
- Heavy-duty stainless steel blade with userreplaceable blending assembly

120V, 60 Hz, 5-15P 🕕

Limited Three-Year Motor and

Two-Year Parts and Labor Warranty ctuv, NSF

MODEL	CONTROL PANEL	CONTAINER
MX1000XTX	Paddle switches	64 oz. Copolyester
MX1000XTXP	with HIGH, LOW	48 oz. Copolyester
MX1000XTS	and PULSE	64 oz. Stainless Steel
MX1050XTX	Flastrania kounad	64 oz. Copolyester
MX1050XTXP	Electronic keypad with HIGH, LOW and	48 oz. Copolyester
MX1050XTS	PULSE functions	64 oz. Stainless Steel
MX1100XTX	Electronic keypad	64 oz. Copolyester
MX1100XTXP	with HIGH, LOW and PULSE functions and	48 oz. Copolyester
MX1100XTS		64 oz. Stainless Steel
MX1200XTX	Variable speed dial	64 oz. Copolyester
MX1200XTXP	control and PULSE	48 oz. Copolyester
MX1200XTS	paddle switch	64 oz. Stainless Steel
MX1300/1500XTX*	Programmable electronic keypad,	64 oz. Copolyester
MX1300/1500XTXP*		48 oz. Copolyester
MX1300/1500XTS*	LCD display and PULSE	64 oz. Stainless Steel

*MX1500 comes with sound enclosure.





Variable Speed Food Preparation & The 🖊 Beverage Blender offers the versatility of adjustable speeds, putting the control in the hands of the chef and mixologist.

An evolution of the XTREME[™] Series blenders, the XPrep[®] provides outstanding performance and durability for the commercial kitchen and beverage-based businesses. Process foods, hot soups and ultra-smooth purées or customized beverages with complete consistency control at your fingertips.

Adjustable speed control from 1,000 to 20,000 RPM

Dual PULSE feature includes variable PULSE and MAX PULSE at 30,000+ RPM









MX1100







MX1300/MX1500



XPREPDIS Display

For Waring® Commercial XPrep[®] Series

MX1000

1 2 3 4

MX1500XTX









*Made in the USA with US and foreign parts

*Made in the USA with US and foreign parts







🚔 📖 🚖 📼

MX1100XTS









1700 m

- 1601

= 150) = -101

--1057 MAX FILL



All **XTREME** units are available with the following jars, sound enclosures and displays.



Medium/Heavy-Duty Food & Beverage Blenders **TBB** Series



CAC93X

48 oz.

copolyester

Raptor[®] jar





CAC95 64 oz. copolyester Raptor[®] jar

BIUF

CAC90 64 oz. stainless steel container

SE500 Small sound enclosure for 48 oz. container



SE1000 Large sound enclosure for 64 oz. container

Optional Color-Coded Jars

The Raptor[®] 64-ounce and 48-ounce BPA-free copolyester jars are available in 5 colors to help kitchens reduce the risk of cross-contamination from allergens.













BLEND

MXXTDS Display For all blenders in Waring Commercial Xtreme[®] Series



CAC93X-10

PURPI F

48 oz.

3TBDIS Display

48 oz.

For displaying Light, Medium and Heavy-Duty Blenders. Contact Waring for custom display.

• Vinyl lid for hot and cold food/beverage blending

- Removable center cap to feed ingredients while blending
- Heavy-duty stainless steel blade with solid steel blending assembly - built to last but completely user-replaceable
- Aggressive blade design works in concert with the wide jar base to draw maximum amount of product into the vortex
- Heavy-duty motor high-performance 2 HP, 2-speed motor, with 24,000 max RPM. Recommended for 50–74 drinks per day, and blends three 16 oz. margaritas in 8 seconds or less Limited Two-Year Warranty

120V, 60Hz, 5-15P 🕕

cetl, NSF



MODEL	CONTROL PANEL	CONTAINER
TBB145		48 oz. Copolyester
TBB145P6	Classic toggle switch	64 oz. Copolyester
TBB145S4		48 oz. Stainless Steel
TBB145S6		64 oz. Stainless Steel
TBB160	Electronic keypad with 60-second countdown timer	48 oz. Copolyester
TBB160P6		64 oz. Copolyester
TBB160S4		48 oz. Stainless Steel
TBB160S6		64 oz. Stainless Steel
TBB175		48 oz. Copolyester
TBB175P6	Variable speed - control dial – 1,000 – 17,000 RPM	64 oz. Copolyester
TBB175S4		48 oz. Stainless Steel
TBB175S6		64 oz. Stainless Steel





CAC89 64 oz. copolyester container and jar pad



TBBDIS Display For Waring[®] Commercial Torq 2.0 Series















CAC152 48 oz. stainless steel container



CAC167 64 oz. stainless steel container and jar pad



CAC139-10 48 oz. BPA-free purple copolyester container

3 Control Panel Options



TBB145



TBB160



TBB175

BLEND 15





- 1 HP commercial motor
- 2-speed motor with PULSE function
- 1-piece 48 oz. BPA-free copolyester jar or stainless jar with industrial stainless steel blade
- Blend three 16 oz. margaritas in 12 seconds or less
- Recommended for 25-49 drinks per day
- BPA free all materials that come in contact with food
- Removable rubberized jar pad dampens sound and makes cleanup easy

120V, 60 Hz, 5-15P 🕕

Limited Two-Year Warranty cTUVus, NSF







CAC132 Copolyester jars are stackable for easy storage

CAC138 Stainless steel jar



BB320

MODEL	CONTROL PANEL	CONTAINER
BB300	Classic toggle switch design	48 oz. Copolyester
BB300S	Classic loggle switch design	48 oz. Stainless Steel
BB320	Electronic keypad	48 oz. Copolyester
BB320S	Еlectronic кеурай	48 oz. Stainless Steel
BB340	Electronic keypad with	48 oz. Copolyester
BB340S	99-second countdown timer	48 oz. Stainless Steel

Light-Duty Bar Blenders BB155 / BB155S

- ¾ HP, 2-speed commercial motor
- Rugged, 2-piece stainless steel cutting blade
- User-replaceable, metal-reinforced rubber drive coupling
- Recommended for up to 25 drinks per day
- 120V, 60 Hz, 5-15P 🕕

Limited Two-Year Warranty cULus, NSF







CAC134 44 oz. BPA-free copolyester container

CAC135 32 oz. stainless steel container

MODEL	CONTROL PANEL	CONTAINER	
BB155	Classic toggle	44 oz. Copolyester	
BB155S	switch design	32 oz. Stainless Steel	

3 Control Panel Options









BLEND 17

Big Stix[®] Heavy-Duty Variable Speed Immersion Blenders **WSB** Series



750 WATT - 1 HP MOTOR THROUGHOUT BIG STIX® LINE

WSB02A

WSB50

WSB55

WSB60

WSB65

WSB70

Display available for Big Stix® Immersion Blenders. (Units not included with display; ships in two pieces)

18

BLEND



50 Gallons/200-Quart Capacity





WSB60ST – 16 inch WSB65ST – 18 inch WSB70ST – 21 inch

> Patented fully sealed blending shaft.

Big Stix® Shafts

WSB50ST – 12 inch

WSB55ST – 14 inch

NSF approved and dishwasher safe

Big Stik[®] Heavy-Duty Whisk **WSBPPW**

- 1 HP heavy-duty motor
- 750W variable-speed motor 1,800 RPM on HIGH with whisk
- Mash 50 lb. of cooked potatoes in under a minute!
- Continuous ON feature
- User-replaceable couplings on power pack and whisk attachment
- Die-cast gears for optimal performance
- Rubberized comfort grip and patented second handle for safe and controlled operation
- 10" stainless steel whipping paddles 120V, 60 Hz, 5-15P
- Limited One-Year Warranty

cETLus, ETL Sanitation



WSBBC

Allows hands-free operation. Fits entire Big Stix® Heavy-Duty Immersion Blender line (except whisk attachment)

Wall Hook **WSB01**

Convenient storage for immersion blender while not in use. Fits entire Big Stix® Heavy-Duty Immersion Blender line.







Whisk Attachment WSB2W

10" stainless steel whipping paddles. Fits entire Big Stix® Heavy-Duty Immersion Blender line. User-replaceable coupling. Die-cast gears for optimal performance. ETL Sanitation



BLEN 19



Cordless Immersion Blender WSB38X/WSB38X2



Powerful. Portable. Versatile.

- Cordless immersion blender for added convenience
- Brushless DC motor
- 10.8-volt lithium-ion battery pack for extended runtime

watch video

 \triangleright

- Variable speed from 5,000 to 13,000 RPM
- 7" removable, dishwasher-safe blending shaft
- Stainless steel blade
- 3-gallon (12-quart) mixing capacity
- Battery charging/docking station with 1.5-hour, quick-charging circuit
- LED indicator lights for speeds and battery charge status
- Ergonomic housing design
- Storage/transport bag included

WSB38X2

- Includes two battery packs
- cETLus, ETL Sanitation
- Limited One-Year Warranty

This lightweight and powerful cordless immersion blender features a 7-inch removable shaft that mixes up to 3 gallons, a 10.8-volt lithium-ion battery, a brushless motor to extend life and runtime, and variable speeds for precision control of whatever you're mixing. Take professional speed, power and performance wherever you need it.



Quik Stik[®] Series Light-Medium Duty Immersion Blenders

Light-Duty Quik Stik® WSB33X

- 2-speed, high-efficiency motor
- Stainless steel, 7" fixed shaft and blade
- Built for low-volume processing
- Lightweight and compact
- All-purpose stainless steel blade
- 3-gallon, 12-quart mixing capacity 120V, 100W, 60 Hz, 5-15P 🕕 Limited One-Year Warranty cULus, NSF

Medium-Duty Quik Stik Plus® **WSB40**

- ¹/₂ HP, 2-speed, heavy-duty motor
- Stainless steel, 10" fixed shaft and blade
- Rubberized comfort grip
- 6-gallon, 24-quart capacity 120V, 350W, 60 Hz, 5-15P 🕕 Limited One-Year Warranty cETLus, NSF



Accessories included



WSB38XBP 10.8-volt lithium-ion battery

BLEND



WSB38XCS Battery-charging station with 1.5-hour, quick-charging circuit



WSB38XSC Storage/transport bag removable shaft

WSB38XST

7-inch





Available displays

WSB33DS (Unit not included with display) WSB40



WSB40DS (Unit not included with display)



WARING BLEND IMMERSION BLENDERS FOR EVERY NEED



100W	½ HP, 350W	10.8V Battery	1 HP, 750W	
		MIXING CAPACITY		
3 Gallons	6 Gallons	3 Gallons	10–50 Gallons	
		SHAFT SIZE		
7 Inches	10 Inches	7 Inches	12–21 Inches	
	le la constante de la constante	REMOVABLE SHAFT		
No	No	Yes	Yes	
	INTE	RCHANGEABLE SHA	FT	
No	No	No	Yes	
		SPEEDS		
2 Speeds 7,500–18,000 RPM	2 Speeds 1,300–18,000 RPM	Variable Speed 5,000–13,000 RPM	Variable Speed 7,000–18,000 RPM	
	USAGE	AND APPLICATION 1	TYPE	
Light Duty	Medium Duty	Medium Duty	Heavy Duty, High Volume	
RECOMMENDED APPLICATIONS				
Dressings, soups, purées, sauces, mayonnaise, whipped cream, guacamole, salsa, tapenade			Heavy food production, mixing and whipping, frostings, batters, dressings, syrups, soups, purées, sauces, mayonnaise, whipped cream,	

guacamole, salsa, tapenade

WARRANTY

Limited One-Year Warranty

22 BLEND

Limited One-Year Li Warranty

Limited One-Year Warranty

Limited One-Year Warranty



The Waring[®] Commercial Heavy-Duty Drink Mixer Series

10-minute countdown timer with

3 speeds and pulse

Heavy-Duty Single, Double & Triple Head **Electronic Drink Mixers WDMTX** Series



Built for high-volume applications, guaranteeing superior performance and consistency. The redesign has removed all failure points by redirecting airflow, removing switches and sealing all splash zones. Waring's Drink Mixer line will prove to be the solution the industry is in search of.

- Independent high-performance, 1 peak HP motors are user-replaceable for continued operation
- Each motor includes thermal protection to prolong motor life
- Electronic 3-speed and pulse controls maintain speed under load for optimal performance - 15,000 / 18,000 / 21,000 RPM
- Fully enclosed actuators prevent mix from entering the housing
- Each unit includes 2 agitators for each spindle: One solid agitator for mixing hard ice creams and aerating for increased yield, and one butterfly agitator for softer ice creams and mix-ins
- Increased cup clearance: Slide cups into position without tilt
- Fully automatic, cup-activated, one-handed START/STOP operation
- Heavy-duty powder-coated die-cast steel housing
- BONUS: Stainless steel malt beverage cups included

120V, 60 Hz, 5-15P 🕥 Limited One-Year Warranty NSF, cTUVus

Models				
MODEL	SPINDLE	TIMER	CUPS INCLUDED	
WDM120TX	One		One	
WDM240TX	Two	Yes	Two	
WDM360TX	Three		Three	





agitagor (sold separately).

Accessories

MODEL	DESCRIPTION	APPLICATIONS
CAC112	Solid Agitator	For hard ice creams and aerating for increased yield (included)
CAC123	Butterfly Agitator	For softer ice creams and mix-ins (included)
036627	Wagon Wheel Agitator	For the toughest of mixes (not included)

Solid and butterfly agitator for

each spindle (included).



1 HP

WDM360TX 3 HP

Wall-Mount Drink Mixer DMC180DCA

- High-performance, 1 peak HP, 2-speed commercial motor
- Space-saving design
- Fully automatic START/STOP operation
- Heavy-duty steel motor housing
- 120V, 60 Hz, 5-15P (Hardwired)
- Limited One-Year Warranty
- cETLus, NSF



2 HP



BLEN



STEAK TACOS

INGREDIENTS

dozen flour tortillas
 oz. prime NY strip steak
 cleaned ears of corn
 pint cherry tomatoes
 bell peppers (2 red and 2 yellow)
 Pico de Gallo:
 ripe Roma tomatoes
 large red onion
 limes
 bunch cilantro leaves (washed)
 tsp. cumin
 salt and pepper to taste

CORE EQUIPMENT

WFP16SCD 4-Quart Food Processor [to slice peppers, dice for pico de gallo and to purée the guacamole]

CROSSOVER EQUIPMENT

WSC300 XPress™
I [to cook or warm tortillas]
WPG250 Panini Grill
I [to cook steak]
WIH400 Induction Burner
I [to boil water for corn]
WCO250X Convection Oven
I [to cook cherry tomatoes]

Click here for full recipe.



LiquiLock[®] Seal System.

More Products. Less Time. No Mess. SEAL SYSTER Waring's patented LiquiLock[®] Seal System allows for more production in less time. Get the most out of your bowl capacity with bottom- to top-of-the-bowl liquid processing with no leaking. The patented S-blade locks into place, sealing the bottom of the bowl, making it safer, cleaner, and easier to pour mixtures without the blade falling out into the processed food bowl. The removable seal in the snap-lock lid prevents any liquid from escaping the top of the bowl. Fill it to the rim without overflowing.

QUILO

Waring's LiquiLock[®] Seal System offers a unique benefit to foodservice operations and is a feature no other brand can deliver.

Best Warranty in the Industry!*

Dependable and built to last, every Waring[®] Food Processor comes with a limited five-year motor warranty and two-year parts and labor warranty.

IMAGINE.	Ν
----------	---

NVENT. INSPIRE.

6-Quart Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing **FP2200**



4-Quart LiquiLock[®] Seal System Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing WFP16SCD

• Continuous-feed chute for large-volume processing • 4-quart sealed cutter mixer bowl processes soups, sauces, dressings and more with ease • 2 HP* commercial motor • Heavy-duty die-cast housing • Over 20 processing options in one machine! • Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem 120V, 60 Hz, 5-15P 🕕 ETL, ETL Sanitation Best warranty in the industry!** Limited Five-Year Motor and Two-Year Parts and Labor Cutter mixer bowl features a snap-lock lid with removable seal for easy cleaning **OPTIONAL ACCESSORIES Dicing Kits Punch Tools** WFP16S25 WFP16S19 8mm - 5/16" for cleaning 8mm WFP16S27 WFP16S20 12mm - 15/32" for cleaning 10mm WFP16S21 Julienne Discs for cleaning 12mm WFP16S22 4mm - 5/32" WFP16S23 6.5mm – 1/4" WFP16S24 8mm - 5/16"





Patented Sealed & Locked S-Blade WFP16S1



• Over 22 square inches of feed space Polycarbonate continuous-feed hopper with durable see-through cover processes up to 1,400 pounds per hour 120V, 60 Hz, 5-15P 🕠

cULus, NSF

Best warranty in the industry!** Limited Five-Year Motor and Two-Year Parts and Labor



Standard accessories included with FP2200



S-Blade


CAF31A














1/2" Slicing Disc CAF18



¹/₂" Dicing Disc CAF24



CAF25









More Product, Less Time, No Mess. Sealed from bottom to top, our LiquiLock® Seal System allows you to process more product in less time with no mess.





Grating Disc WFP16S16



WFP16SCDDIS

(Units not included with display)

Standard accessories included with WFP16SCD



Sealed & Locked, Stainless Steel Whipping Disc WFP16S11



WARING

Patented Adjustable 16-Cut Slicing Stainless Steel Disc (1–6mm) WFP16S10



Reversible Shredding Stainless Steel Disc – Two Blades in One, Fine Shred and Coarse Shred WFP16S12A



3.5-Quart LiquiLock[®] Seal System Combination Bowl Cutter Mixer and Continuous-Feed Food Processor WFP14SC

More Product, Less Time, No Mess. Sealed from bottom to top, our LiquiLock® Seal System allows you to process more product in less time with no mess.



- Large, 3.5-quart, virtually unbreakable, clear-view, space-saving cutter mixer bowl with LiquiLock[®] Seal System for processing liquids
- 1 HP commercial motor
- Continuous-feed chute for large-volume processing
- Slice, shred, grate, chop, purée, whip, emulsify and more! Over 20 processing applications in one machine!
- Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem
- Extra-large feed hopper reduces prep time

120V, 60 Hz, 5-15P 🕥

UL, ETL Sanitation

Best warranty in the industry!** Limited Five-Year Motor, Two-Year Parts and Labor





Standard accessories included with WFP14SC Food Processor



Grating Disc Nuts, spices, cheeses and more WFP143



Reversible **Patented Adjustable** Shredding Disc Slicing Disc (1-6mm) Fruits, vegetables Cheeses, vegetables and more and more WFP14S12 WFP14S10



Patented Sealed & Locked S-Blade Chopping, puréeing and emulsifying WFP14S1



Sealed & Locked Whipping Disc and more WFP14S11



Whips creams, butters

4-Quart LiquiLock[®] Seal System Bowl Cutter Mixer Food Processor **WFP16S**

- 4-quart, virtually unbreakable, clear-view cutter mixer bowl with LiquiLock[®] Seal System for processing liquids
- 2 HP* commercial motor Heavy-duty die-cast housing



- Large, easy-to-read control buttons
- Over 20 processing options in one machine!
- Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem 120V, 60 Hz, 5-15P

ETL, ETL Sanitation Best warranty in the industry!**

Limited Five-Year Motor, Two-Year Parts and Labor





Cutter mixer bowl features a snap-lock lid with removable seal for easy cleaning





Standard accessories included with WFP16S Food Processor



Patented Adjustable Slicing Disc (1-6mm) Provides 16 different thickness options in 1 disc WFP16S10



Sealed & Locked

Whipping Disc

Quickly whips creams

and butters

WFP16S11

More Product, Less Time, No Mess. Sealed from bottom to top, our LiquiLock Seal System allows you to process more product in less time with no mess.





Reversible Shredding Disc Fine shred on one side, coarse shred on the other side WFP16S12A



Patented Sealed & Locked S-Blade Locks into place and seals liquids in the bowl WFP16S1





3.5-Quart LiquiLock[®] Seal System Bowl Cutter Mixer Food Processor WFP14S/WFP14SW



- Large, 3.5-quart, virtually unbreakable, clear-view cutter mixer bowl with LiquiLock[®] Seal System for processing liquids
- Slice, shred, grate, chop, purée, whip, emulsify and more!
- Over 20 processing applications in one machine!
- Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem
- High-performance, 1 HP commercial motor

WFP14S

• Includes an extra-large feed tube to reduce prep time

WFP14SW

- Includes a space-saving, flat cutter mixer bowl lid
- Comes with patented, sealed and locked S-blade and whipping disc only

120V, 60 Hz, 5-15P 🕥

UL, ETL Sanitation

Best warranty in the industry!** Limited Five-Year Motor, Two-Year Parts and Labor



2.5-Quart LiquiLock[®] Seal System Bowl Cutter Mixer Food Processor WFP11S/WFP11SW

- Large, 2.5-quart, virtually unbreakable, clear-view cutter mixer bowl with LiquiLock[®] Seal System for processing liquids
- Slice, shred, grate, chop, purée, whip, emulsify and more!
- Over 20 processing applications in one machine!
- Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem
- High-performance, 3/4 HP commercial motor

WFP11S

• Includes an extra-large feed tube to reduce prep time


WFP11SW

- Includes a space-saving, flat cutter mixer bowl lid
- Comes with patented, sealed and locked S-blade and whipping disc only

120V, 60 Hz, 5-15P 🕕

UL, ETL Sanitation

Best warranty in the industry!** Limited Five-Year Motor, Two-Year Parts and Labor



WFP11SW

Standard accessories included with WFP14S Food Processor

Patented Adjustable

Slicing Disc (1-6mm)

Fruits, vegetables

and more

WFP14S10

WFP14SW



Grating Disc Nuts, spices, cheeses and more WFP143



Reversible Shredding Disc Cheeses, vegetables and more WFP14S12



Patented Sealed & Locked S-Blade Chopping, puréeing and emulsifying WFP14S1



Sealed & Locked Whipping Disc Whips creams, butters and more WFP14S11







Reversible Shredding Disc Cheeses, vegetables and more WFP11S6



More Product, Less Time, No Mess. Sealed from bottom to top, our LiquiLock® Seal System allows you to process more product in less time with no mess.



Standard accessories included with WFP11S Food Processor



Patented Adjustable Slicing Disc (1–6mm) Fruits, vegetables and more WFP11S4



Patented Sealed & Locked S-Blade Chopping, puréeing and emulsifying WFP11S1



Sealed & Locked Whipping Disc Whips creams, butters and more WFP11S5



Pro Prep[®] Chopper Grinder **WCG75**

- 3-cup capacity
- Powerful, high-speed, 2-pole induction motor, ³/₄ HP
- 2 separate bowl and blade assemblies one for grinding, one for chopping

Limited One-Year Warranty

120V, 60 Hz, 5-15P 🕕

cULus

3-Cup Electric Power Grinder – Wet/Dry WSG60

• High-performance, 1 HP commercial-grade motor – 20,000 RPM

- Heavy-duty die-cast housing
- 3-cup capacity
- Upper housing safety interlock
- PULSE actuation to easily manage consistency of grind
- Durable stainless steel blades
- Perfect for peppercorns, cinnamon, nuts, garlic, herbs, and other dry and wet blends
- Includes 2 fully removable and dishwasher-safe stainless steel grinding bowls with convenient storage lids

750W, 120V, 60 Hz, 5-15P 🕥

Limited One-Year Warranty

ETLUS, NSF

1-Cup Electric Spice Grinder **WSG30**

- Finely grinds cinnamon sticks, nutmeg, peppercorns and much more in seconds
- High-performance, commercial-grade motor 19,000 RPM
- Heavy-duty brushed stainless steel housing with safety interlock lid
- PULSE actuation to easily manage consistency of grind
- Includes 3 fully removable and dishwasher-safe stainless steel grinding bowls with convenient storage lids
- Durable stainless steel blades 175W, 120V, 60 Hz, 5-15P 🕕 Limited One-Year Warranty

cETLus, NSF







	Model	Power	Speed	Cutter Mixer Bowl Maximum Capacity	Discs Included	Maximum Volume Processing Per Hour	Warra
	FP2200	3⁄4 HP	17,250	Dry: 6 quarts (5.7 liters) Wet: 2.5 quarts (2.37 liters)	S-Blade 1/4" Slicing Disc 1/2" Slicing Disc 3/6" Shredding Disc 1/2" Dicing Disc 3/4" Dicing Disc	 Slicing (cucumbers)' 1400 lb/1275 qt Shredding (carrots)' 1025 lb/1050 qt Dicing (tomatoes)' 950 lb/425 qt Chopping (meat) 585 lb Kneading (bread dough) 200 loaves* Kneading (pie crusts) 540 pie crusts** 	Limited 5-Year 2-Year Parts a Labor
	WFP16SCD	2 HP®	17,250	Dry: 4 quarts (3.7 liters) Wet: 3 quarts (2.8 liters)	%" Dicing Assembly Sealed S-Blade Sealed Whipping Disc Adjustable Slicing Disc Reversible Shredding Disc	 Slicing (cucumbers)' 1185 lb/1080 qt Shredding (carrots)' 875 lb/900 qt Chopping (meat) 390 lb Kneading (bread dough) 140 loaves* Kneading (pie crusts) 360 pie crusts** Dicing (tomatoes) 915 lb/410 qt Whipping (heavy cream) 80 qt 	Limiteo 5-Year 2-Year Parts a Labor
		LIG	НТ- Т	O MEDIUM-DUT	Y FOOD PRO	CESSORS	
Ü,	WFP14SC	1 HP	17,250	Dry: 3.5 quarts (3.3 liters) Wet: 1.75 quarts (1.65 liters)	Sealed S-Blade Sealed Whipping Disc Adjustable Slicing Disc Reversible Shredding Disc 1/64 " Grating Disc	 Slicing (cucumbers)' 875 lb/660 qt Shredding (carrots)' 430 lb/450 qt Grating (cheese) 60 lb Chopping (meat) 360 lb Kneading (bread dough) 120 loaves* Kneading (pie crusts) 320 pie crusts** Whipping (heavy cream) 70 qt 	Limitec 5-Year 2-Year Parts a Labor
	WFP11S ¾ HP 17,250		Dry: 2.5 quarts (2.3 liters) Wet: 1.25 quarts (1.2 liters)	Sealed S-Blade Sealed Whipping Disc Adjustable Slicing Disc Reversible Shredding Disc 5%4" Grating Disc	 Slicing (cucumbers) 540 lb/345 qt Shredding (carrots) 200 lb/240 qt Grating (cheese) 45 lb Chopping (meat) 330 lb Kneading (bread dough) 120 loaves* Kneading (pie crusts) 240 pie crusts** Whipping (heavy cream) 55 qt 	Limited 5-Year 2-Year Parts a Labor	
			LI	GHT- TO HEAVY-D	UTY GRIND	ERS	
	Model	Power	Speed	Cup Capacity	Accessory Bowls	Applications	Warra
	WCG75	3⁄4 HP	17,250	3 Cups Dry	1 Grinding Bowl 1 Chopping Bowl	Grinding or chopping nuts, herbs, or pastes	Limiteo 1-Year Warrar
KANESE	WSG60	1 HP	20,000	3 Cups Dry 1.5 Cups Wet	2	Dry spices, pastes, sauces, whipped cream, herb blends	Limiteo 1-Year Warrar
	WSG30	1⁄4 HP	19,000	1 Cup (dry only)	3	Low volume dry spices: Cinnamon, nutmeg, peppercorns, cumin, sugar, rice	Limiteo 1-Year Warrar



Heavy-Duty Pulp Eject Juice Extractor **WJX80**

- Heavy-duty centrifugal juice extractor with continuous pulp ejection
- Built for continuous, all-day juice extraction
- Use in high volume smoothie shops, cafés, bars, restaurants, hotels and healthcare establishments
- Make nutritious smoothies, juices and immunity and power boosts
- 1.2 HP brushless induction motor for power and durability
- Stainless steel filter basket and shredder disc expertly designed for a fantastic yield to save operators money and minimize waste
- Compact and lightweight compared to competitors in its class
- Easy to clean with all dishwasher-safe parts and included cleaning brush
- Large, 3-inch feed chute for less prep work
- Large, 12-quart pulp container

WJX80CHT

• Includes safety interlock features

• Rotating, no-drip spout reduces mess Limited Two-Year Motor Warranty, One-Year Parts & Labor 120V, 1000W, 3600 RPM, 5-15P 🕕 **CETLUS**, NSF

Continuous-Feed Juicing Accessory

To better serve high-volume juicing establishments, we have designed a continuous-feed chute attachment (WJX80CHT) so that operators do not have to empty the pulp bin as frequently! This keeps their juice flowing and their pulp ejecting into a larger container to be discarded or used for alternate purposes (such as carrot pulp muffins) to reduce waste.



THE CLOWNER AND







Comes with nonworking unit.



Medium-Duty Juice Extractor 6001C

- Rapidly converts fruits and vegetables into rich, pulp-free juice
- Stainless steel extraction basket, bowl and cover
- Included extraction basket filters make cleanup simple and quick
- Polycarbonate motor housing

120V, 180W, 3,600 RPM, 60 Hz, 5-15P (

Limited One-Year Warranty

cULus, CSA (6001CQ)

Light-Duty Citrus Juicer **BJ120C**

- Compact design creates a small-space profit center
- Quiet, powerful motor operation
- Reamer fits all citrus fruits
- Juice bowl, reamer lift off for easy cleaning
- Includes 1-liter serving container (not shown) 120V, 150W, 100 RPM, 60 Hz, 5-15P 🕦

Limited One-Year Warranty

cTUVus, NSF

Heavy-Duty Citrus Juicer **JC4000**

- Quiet, heavy-duty direct-drive motor
- Stainless steel juice collector with large spout
- Sturdy polycarbonate motor housing with vibration-dampening feet
- Universal reamer juices all citrus fruits
- 1,800 RPM for maximum juice yield
- 120V, 375W, 1800 RPM, 60 Hz, 5-15P 🕥
- Limited One-Year Warranty
- cTUVus, NSF



FRE

FREE



JUICE EXTRACTORS





Heavy-Duty Pulp Eject Juice Extractor WJX80	Medium-Duty Juice Extracto 6001C
1000W, 3,600 RPM	P 180W, 3,600 RP
Pulp-Eject Centrifugal Juice Extractor	Centrifugal Juice Extractor
	USAGE AND A
Heavy Duty	Medium Duty
	RECOMMEND
Apples, Beets, Carro Pineapples, Tomato Citrus Fruits: Oranges, Ler	bes, Watermelon, mons, Limes, Grapefr
	WA
Limited Two-Year Motor Warranty	Limited One-Ye Warranty

One-Year Parts & Labor





Citrus Juicer

WARING NPREP A JUICER FOR EVERY NEED

2.5-Quart Compressor Ice Cream Maker WCIC25



Chocolate Melters WCM3/WCM6

- LCD display shows heating/ready indicator, set and probe temperatures
- Temperatures available in Fahrenheit or Celsius
- Temperature range of 68°F/20°C-140°F/60°C
- Accurate temperature control
- Touch controls, no dials
- Integrated housing rim eliminates chocolate from making its way under the pan
- Lid cutouts accommodate ladles and probe
- Removable stainless steel pans WCM3: 1/3 – 7" x 12" WCM6: 1/2 - 10" x 12"
- Included probe ensures the most accurate temperature reading
- Gentle heating, no hot spots
- No water, only dry heat

WCM3: 3 kg/6.61 lb. WCM6: 6 kg/13.23 lb. 120V, 125W, 5-15P 🕥 UL, NSF Limited One-Year Warranty









1/3 size stainless steel pan

WCM6SSPAN 1/2 size stainless steel pan



WCM



WCMPRB

Included probe ensures the most accurate temperature reading









Stainless Steel Bowl WSM7LBL WSM10LBL WSM20LBL

WSM10L/WSM20L

- Gear-driven, permanent lube transmission
- Large stainless steel bowl with stainless steel handle
- Side-mounted controls
- 3 mixing speeds
- Heavy-duty bowl-lift lever
- Thermal overload protection
- Includes stainless steel bowl, chef's whisk, dough hook and aluminum mixing paddle
- Specifically designed for countertop use
- Nonslip rubber feet
- Limited Two-Year Motor Warranty, One-Year Parts & Labor

WSM10L: 10-quart stainless steel bowl, ³/₄ HP induction motor, 650W, 60 Hz

WSM20L: 20-quart stainless steel bowl, 1 HP induction motor, 1100W, 60 Hz

WSM7L

- Gear-driven, permanent lube transmission
- Large, 7-quart stainless steel bowl with stainless steel handle
- Heavy duty, 1/2 HP motor, 350W, 60 Hz
- Front-mounted controls and LED power light
- 11 mixing speeds with variable speed control dial
- Removable clear-view splash guard with feed chute
- Tilt-back head for easy removal of attachments and cleaning
- Heavy-duty head-lift/release lever
- Thermal overload protection
- Includes stainless steel bowl, chef's whisk, dough hook and aluminum mixing paddle
- Dishwasher-safe accessories
- Nonslip rubber feet
- Limited Two-Year Motor Warranty, One-Year Parts & Labor

watch video \triangleright



Professional Food Slicers **WCS** Series





- Slice meats and cheeses for sandwiches, appetizers, salads or for charcuterie programs
- Cast aluminum base and carriage ensure sturdy slicing
- High-efficiency, ventilated induction motor prevents overheating and runs quietly
- Belt driven with fixed blade for slicing ease and precision
- Easily adjustable slicing thickness from 0-.59" (0-14.9mm)

• Made in Italy

120V, 5-15P 🕕

Limited One-Year Warranty

cTUVus, NSF



Easy-clean design

Tilt-out carriage and removable sharpener simplify cleaning and maintenance

MODEL	BLADE SIZE
WCS220SV	8.5"
WCS250SV	10"
WCS300SV	12"

Knife Sharpener **WKS800**

- 2 grinding wheels (fine/coarse), one stropping wheel
- Grinds at 18° to 22° angles optimum angles recommended by knife manufacturers
- Stropping wheel operates in reverse direction for more efficient removal of burrs and polishing of the blade
- Magnetized drawer under grinding wheel captures metal shavings

120V, 60 Hz, 5-15P 🕥

Limited One-Year Warranty

cULus, NSF

Cordless/Rechargeable Electric Knife **WEK200**

- Ergonomic handle minimizes fatigue from extended use
- Bread blade and carving blade included
- Integrated LED light for improved visibility in low-lit areas
- Adjustable slicing guide ensures a consistent cut
- Lithium-ion battery with quick-charge time
- Detachable blades for easy cleaning
- Power switch safety interlock
- Heavy-duty carrying case doubles as a storage case 100-240V, 50-60 Hz, 5-15P

Universal AC adapter 7.4V DC motor/battery pack rating Limited One-Year Warranty cULus, ETL Sanitation



Portable, Rechargeable Wine Bottle Opener **WWO120**

- Removes 120 corks with one full charge
- Removes synthetic corks with ease
- Compact, stainless steel housing
- Easy, quiet forward and reverse motor
- NiMH rechargeable battery pack
- Compact charging base with foil cutter included
- **BONUS:** Replacement auger included Limited One-Year Warranty ETL Sanitation, CEC









Chamber Vacuum-Sealing System WCV300

- Package liquids and liquid-rich foods like fresh meats, soups, marinades and stews
- 11" seal bar double-seals pouch, guaranteeing complete, long-lasting closure
- Marinating function intensely infuses meats, fruits and veggies
- User-friendly, easy-to-clean capacitive touchpad controls
- Stainless steel housing chamber

Includes pouches:


WCVQT50 - 7" W x 11" L, 50 count, WCV2QT50 - 11" W x 12.5" L, 50 count

120V, 380W, 5-15P 🕕

Limited One-Year Warranty

cETLus, NSF









Place in Chamber Place filled pouch into chamber, position the open edge securely under pouch clips and flat across seal bar.



Press to Vacuum Seal Close lid, press the "Vacuum Seal" button and remove pouch from chamber when sealing process is complete.



Store or Use Vacuum-sealed pouches can be refrigerated or frozen for later use and are boil and microwave safe.

WCVQT50 - (7" W x 11" L), 50 Count WCVQT100 – (7" W x 11" L), 100 Count WCV2QT50 - (11" W x 12.5" L), 50 Count WCV2QT100 – (11" W x 12.5" L), 100 Count **11**" WCV33R – Roll (11" W x 33' L) WCV66R – Roll (11" W x 66' L)











POMEGRANATE GLAZED PORK TENDERLOIN

INGREDIENTS

- 1 pork tenderloin (trimmed)
- 2 tbsp. bacon fat
- 2 tsp. liquid aminos
- 2 slices ginger root
- 3 sprigs thyme
- 1 cup pomegranate juice
- 2 tbsp. honey 1 bunch kale 8 small Yukon Gold potatoes

CORE EQUIPMENT

WSV25 Thermal Circulator [to cook steak and potatoes] WIH400 Induction Cooktop [to cook the glaze] WCO500X Convection Oven [to finish the steak and potatoes after sous vide]

CROSSOVER EQUIPMENT

WCV300 Chamber Vacuum Sealer [to seal for sous vide cooking]

Click here for full recipe.

Introducing the Waring[®] Commercial Thermal Circulator Series



Included Accessories

WSV16LRK

Rack lift for WSV16

WSV25LRK

Rack lift for WSV25

WSV16DH

Drain hose

for both

models

Safely cook, hold and rethermalize food to the perfect temperature without ever overcooking. Our stainless steel thermal circulator is available with a compact or large water tank, complete with cover, rack, rack lift and drain hose.



Out of the box, just add water and you're ready to achieve ideal texture, taste, and tenderness of meats, seafood, vegetables and more. Cook a variety of foods at the same time.

No need to drop in an immersion circulator, the Waring[®] Commercial Thermal Circulator is a self-contained unit featuring a capacitive touch control panel with an easy-to-read LED display with 5 programmable settings, an expansive temperature range with precise accuracy



and a timer. The contained system features an internal precision water pump that continuously circulates water to ensure even cooking. Provided accessories allow easy removal of food and water when cooking cycle is complete.

- 5 programmable memory stations and 99-hour timer
- Temperature accuracy of +/- .5°C/1°F
 Integrated hose system to easily and
- safely remove water from reservoir
- Capacitive touch control enables you to quickly set or adjust the cooking temperature
- All-stainless steel construction
 Temperature range
- from 95°F 194°F (35°C 90°C) 120V, 1560W, 5-15P 🕕 Limited One-Year Warranty
- cETLus, ETL Sanitation
- **WSV16** 16 liters (4.2 gallons) **WSV25** – 25 liters (6.6 gallons)





WSVDIS Thermal Circulator Display



1. Season & Seal Season food with your favorite herbs and spices, then vacuum seal. Natural juices and nutrients are retained while cooking for incredible results.

See page 48 For Vacuum Sealer.



רה בי

WARING

2. Sous Vide Prepare and cook multiple portions ahead of time. With precise temperature control and continuous water circulation, food cannot be under- or overcooked; no dry edges and no raw centers. Food comes out consistently moist and tender, every time!



WSV16RK

Rack for WSV16

WSV25RK

Rack for WSV25

16 liter





3. Sear & Savor Perfect for all restaurants and off-premises cooking. Just sear quickly to finish and serve.



Food Dehydrator **WDH10**



The dehydrator is an essential piece of equipment that is constantly in use in commercial kitchens and bars. Pastry chefs use it to make various meringues, dehydrated mousse, dried herbs, dessert decorations and for manipulating the texture of fruits like strawberries and grapes. Mixologists use them to make candied, dehydrated fruits or herbs and infused powders to garnish drinks. Other popular favorites include, beef jerky watch video and kale chips.



- Digital LED display with capacitive touch controls
- 5 memory stations for setting and storing unique programs
- Adjustable temperature range: 90°F–180°F (32°C–82°C)
- View temperature in °F or °C

54

• Set timer up to 99 hours, automatic shutoff when times lapses



- Ten 15-inch by 13.5-inch stainless steel mesh racks
- Total dehydrating surface area of 14 square feet
- Clear-view glass door for monitoring dehydrating process
- Rear-mounted airflow system
- Fruit leather sheet accessory available - WDH10FLS Limited One-Year Warranty

120V, 800W, 6 amps, 60 Hz, 5-15P 🕦 cULus, NSF

10 removable stainless steel mesh racks



- 12.4 L (13.1 qt.) max water capacity
- Cook up to 4 pounds of fresh or frozen pasta in minutes
- 4 round and 2 rectangular baskets included
- Durable stainless steel construction
- Stainless steel tubular heating elements for quick heat-up
- Reaches a rolling boil in under 25 minutes
- Drain and refill valves located in front for easy access
- Unit can be used as a stand-alone or plumbed in
- 240V, 3600W, 6-20P (

Limited One-Year Warranty

cULus, NSF











Panini Perfetto[®]/Tostato Perfetto[®] Compact Italian-Style Panini Grills WPG150/WFG150/WPG150B SERIES



WPG150/WPG150B

MODEL	SURFACE	SIZE	ELECTRICAL POWER
WPG150/T*	Ribbed		120V, 1800W, 5-15P 🛈
WFG150/T*	Flat	9.75" x 9.25"	120V, 1800W, 5-15P
WPG150B/T*	Ribbed		208V, 2400W, 6-15P 🕀

*T models feature a 20-minute reprogrammable timer

• Compact 9.75" x 9.25" cooking surface, great for grilled panini, hamburgers, chicken, vegetables and more

- Cast-iron plates for even heat distribution and quick cooking time
- Brushed stainless steel body construction and removable drip tray
- Hinged, auto-balancing top plate to suit foods up to 3" thick
- Adjustable thermostat up to 570°F
- Power ON and Ready indicator lights
- Heat-resistant handles
- Heavy-duty grill brush included (CAC105)
- Limited One-Year Warranty

cULus, NSF



Programmable 20-minute countdown timer versions available on all panini grills



Panini Compresso[™] Slimline Grill **wpG200**



MODEL	SURFACE	SIZE	ELECTRICAL POWER
WPG200	Ribbed	7.75" x 14.5"	120V, 1800W, 5-15P 🕚

- Ribbed cast-iron plates
- 7.75" x 14.5" cooking surface slim design to fit in tight spaces
- Brushed stainless steel body construction and removable drip tray
- Hinged, auto-balancing top plate
- Adjustable thermostat up to 570°F
- Heat-resistant handles
- Heavy-duty grill brush included
 120V, 1800W
- Limited One-Year Warranty cULus



Panini Supremo[®]/Tostato Supremo[®] Large Italian-Style Panini Grills WPG250/WFG250/WDG250 SERIES

- Large, 14.5" x 11" cooking surface, great for grilled panini, hamburgers, chicken, vegetables and more
- Cast-iron plates for even heat distribution and quick cooking time
- Brushed stainless steel body construction and removable drip tray
- Hinged, auto-balancing top plate to suit foods up to 3" thick
- Adjustable thermostat up to 570°F
- Power ON and Ready indicator lights
- Heat-resistant handles
- Heavy-duty grill brush included (CAC105) Limited One-Year Warranty cULus, NSF



CAC171 Conversion kit with 3-pack of sheets

CAC178 3-pack PTFE nonstick sheets

CAC144 Silicone spatula





WPG250/1*

*T models feature a 20-minute reprogrammable timer



	SURFACE	SIZE	ELECTRICAL POWER
ł	Ribbed		120V, 1800W, 5-15P 🕚
ł	Flat	14.5" x 11"	120V, 1800W, 5-15P 🕚
*	Ribbed Top/Flat Bottom	14.5° X 11°	120V, 1800W, 5-15P 🕚
T*	Ribbed		208V, 2800W, 6-15P 🕀



Tostato Supremo[®] Full-Size 14" x 14" Flat Toasting Grills WFG275/WFG275T SERIES



MODEL	SURFACE	SIZE	ELECTRICAL POWER
WFG275/T*	Flat	14" x 14"	120V, 1800W, 5-15P 🕚

*T models feature a 20-minute reprogrammable timer

Panini Ottimo[®]/Tostato Ottimo[®] Dual Italian-Style Panini Grills WPG300/WFG300/WDG300 SERIES

- and quick cooking time
- and removable drip tray

- 240V, 3200W, 6-20P (-)



MODEL	SURFACE	SIZE	EL
WPG300/T*	Ribbed		
WFG300/T*	Flat	17" x 9.25"	24
WDG300/T*	Ribbed and Flat		

*T models feature a 20-minute reprogrammable timer



LECTRICAL POWER

40V, 3200W, 6-20P 🕙





Waring offers a full one-year on-site service warranty. If any repairs are needed to your pizza oven, a qualified Waring service professional will come to your facility, diagnose and fix the problem.

Heavy-Duty Single-Deck Pizza Oven **WPO500**

- Ceramic pizza deck holds 18" diameter pizza
- Cook fresh or frozen dough

TS&LAD

ARRA

ON-SIT

- Temperature up to 800°F/426°C
- Stainless steel exterior with full insulation
- Aluminized steel interior with light
- Independent ON/OFF switches for top and bottom heating elements
- Manual 30-minute timer with audible alert
- Includes one ceramic pizza stone
- Stackable oven with 4" adjustable legs
- 120V, 1800W, 5-15P 🕕

Limited One-Year On-Site Warranty

cULus, NSF

Heavy-Duty Double-Deck Pizza Ovens

WPO700 (Single Door) WPO750 (Double Door)

- Ceramic pizza decks hold 18" diameter pizzas
- Cook fresh or frozen dough
- Temperature up to 800°F/426°C
- Stainless steel exterior with full insulation
- Aluminized steel interior with lights
- Includes two ceramic pizza stones
- 30-minute timers with audible alerts
- 4" adjustable legs
- WPO700 Independent ON/OFF switches for top and bottom heating (center element is shared)
- **WPO750** Two independent chambers with their own deck controls can operate at different temperatures simultaneously
 - ON/OFF controls for top and bottom elements in each chamber

240V, 3200W, 6-20P (-)

Limited One-Year On-Site Warranty cULus, NSF



_		11
		111111
	WPO700	



WPO750



Medium-Duty Single-Deck Pizza Oven **WPO100**

- Ceramic pizza deck fits a 14" pizza
- 3.5-inch-high chamber opening
- Temperature settings from 280°F 600°F
- 15-minute timer
- Power ON/OFF switch with indicator light
- Tempered alass door and oven light let you monitor the cooking process
- Removable pizza deck for easy cleaning
- Includes a cleaning brush with heavy-duty bristles for cleaning the deck without damaging the ceramic
- 120V, 1800W, 5-15P (1)

Limited One-Year Warranty

cULus, NSF

Medium-Duty Double-Deck Pizza Oven **WPO350**

- Ceramic pizza decks fit 14" pizzas
- 3.5-inch-high chamber openings
- Temperature settings from 280°F 600°F
- 15-minute timers
- Power ON/OFF switches with indicator lights
- Tempered glass doors and oven lights let you monitor the cooking process
- Removable pizza deck(s) for easy cleaning
- Includes a cleaning brush with heavy-duty bristles for cleaning decks without damaging the ceramic
- Double oven features adjustable legs to set height to the proper level for your space
- 240V, 3500W, 6-20P 🟳

Limited One-Year Warranty cULus, NSF



Unit is

Waring[®] Commercial **Pizza Oven Series**

Waring offers the right size pizza oven to help you add to your menu and increase your revenue. Cook pizza and subs and heat casseroles, lasagna and more. Choose an oven for pizzas from 14" up to 18" in diameter.











CAC105 Heavy-duty grill brush included with all pizza ovens





Commercial Medium-Duty .9 Cubic Foot Microwave Oven **WMO90**

- 10 programmable memory pads; 100 programmable settings
- 3-stage cooking, 5 power levels
- Stainless steel construction
- Programmable and manual operations
- Touch control keypad with Braille
- Interior oven light
- 60-minute max cook time
- .9 cubic feet, 120V, 1000W, 5-15P 🕥
- Limited One-Year Warranty
- cULus, FCC, ETL Sanitation



Quarter-Size Convection Ovens WCO250X/WCO250XC

- Convection bake, roast, bake and broil functions
- Heavy-duty brushed stainless steel finish and full stainless steel interior
- .9 cubic feet, fits 3 quarter-size sheet pans
- Includes 2 chrome-plated baking racks
- Includes stainless steel baking sheet/drip pan
- Clear-view, double-pane tempered glass window

WCO250X 120V, 1700W, 60 Hz , 5-15P 🕕

WCO250XC 120V, 1700W, 60 Hz , 5-20P (-)

Limited One-Year Warranty cULus, NSF

Commercial Heavy-Duty 1.2 Cubic Foot Microwave Oven **WMO120**

- 10 programmable memory pads; 100 programmable settings
- 3-stage cooking, 5 power levels
- Stainless steel construction
- Programmable and manual operations
- Touch control keypad with Braille
- Interior oven light
- 60-minute max cook time
- Cleanable/replaceable air filter
- Units are stackable

1.2 cubic feet, 208/230V, 1800W (Dual Magnetrons), 6-15P (-)

Limited One-Year Warranty cULus, FCC, ETL Sanitation



Half-Size Convection Ovens WCO500X/WCO500XC

- Convection bake, roast, bake and broil functions
- Heavy-duty brushed stainless steel finish and full stainless steel interior
- 1.5 cubic feet, fits 4 half-size sheet pans
- Includes 3 chrome-plated baking racks
- Includes stainless steel baking sheet/drip pan
- Clear-view, double-pane tempered glass window

WCO500X 120V, 1700W, 60 Hz , 5-15P 🕠 UL, NSF

WCO500XC 120V, 1700W, 60 Hz , 5-20P 🕞 cULus, NSF Limited One-Year Warranty











14" Electric Countertop Griddle WGR140X

- Large, 14" x 16", .5 inch grilling surface great for eggs, pancakes, hamburgers, chicken, vegetables and more
- Consistent, even heat distribution
- Brushed stainless steel construction
- Large, 11" fully removable grease tray
- Extra-tall steel splash guards with tapered front end for protection against grease and spills
- Adjustable thermostat to 570°F
- Heat-resistant handles 120V, 1800W, 5-15P (1) Limited One-Year Warranty

ETLus, NSF



24" Electric Countertop Griddle WGR240X

.5 Inch

Grilling

Surface

- Extra-large, 24" x 16", .5 inch grilling surface – perfect for larger items such as quesadillas, omelets and pancakes
- Consistent, even heat distribution
- Brushed stainless steel construction
- Oversized, 21" fully removable grease tray
- Extra-tall steel splash guards with tapered front end for protection against grease and spills
- Adjustable thermostat to 570°F
- Heat-resistant handles

4" adjustable legs
240V, 3300W, 6-20P [•]
Limited One-Year Warranty
ETLus, NSF

.5 Inch Grilling Surface



Single & Double Burners web300/wdb600

- Heavy-duty cast-iron burner plates
- WEB300 1300W large plate
- WDB600 1800 total watts: 1300W large plate for fast cooking, and 500W small plate for simmering and warming
- Brushed stainless steel housing
- Independent, adjustable thermostats with Ready indicator lights
- Nonslip rubber feet
- 120V, 60 Hz, 5-15P 🕥

Limited One-Year Warranty

cULus, NSF

Single Light-Duty Induction Range

- Induction cooking: Fast, safe and efficient
- Easy-touch controls for adjusting power settings
- 10 power settings
- Cooking temperature ranges from 120°F 450°F (48°C 232°C)
- Accepts minimum pan size of 4 inches in diameter, cooking surface 11.5" x 11.75"
- Durable tempered glass surface
- Stainless steel top-housing construction
- Compatible cookware and no-pan detection
- Lightweight and portable countertop cooking surface 120V, 1800W, 1-15P $\widehat{(\mathbf{u})}$

Limited One-Year Warranty cETLus, NSF

Single & Double Heavy-Duty Induction Ranges WIH400/WIH800

- Low-profile case provides a more natural cooking height
- Fast: Quick and intuitive heating response
- Precise: Maintains accurate temperature control
- Safe: No flames or smoke
- Easy to clean: Spills wipe up easily from the Schott®* ceramic glass surface
- Elegant: Easy-touch controls, all-stainless steel construction and blue LCD display
- Small object/empty pan detection
- Features a 10-hour countdown timer
- 12 temperature settings (120°F to 500°F)

WIH400 – 120V, 1800W, 5-15P 🕐

WIH400B – 208/240V, 2900/3300W, 6-15P -WIH800 – 240V, 2x 1800W (3600W), 6-15P -Limited One-Year Warranty cETLus, NSF



64





WIH800



10 lb. Deep Fryer WDF1000

- Includes 2 twin baskets (TFB10),
 1 large single basket (LFB10) and
 1 night cover (NC100)
- Hinged heating elements and removable stainless steel tanks for easy cleaning
- 30-minute timer and variable temperature controls up to 390°F

Limited One-Year Warranty

ULus, NSF

MODEL	SIZE	ELECTRICAL POWER
WDF1000	Single	120V, 1800W, 5-15P 🕕



8.5 lb. Deep Fryers WDF75RC/WDF75B

- Includes 2 twin baskets with 3 lb. food capacity – stainless steel with removable handles
- 30-minute timer and variable temperature control up to 390°F
- Hinged heating element and removable stainless steel tank
- Compact footprint

Additional baskets available: WDF05 – Small, 1.5 lb. steel wire basket LFB10 – Large, 3 lb. steel wire basket

Limited One-Year Warranty

ULus, NSF

MODEL	SIZE	ELECTRICAL POWER	
WDF75RC	Cingle	120V, 60 Hz, 1800W, 5-15P 🛈	
WDF75B	WDF75B Single	208V, 60 Hz, 2700W, 6-15P ਦ	



Side-by-Side Double Belgian Waffle Maker ww300bx

- Dual-carriage design
- Heavy-duty die-cast housing
- Rotary feature for even baking and browning
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Embedded heating elements for precise temperature control
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators
- Produces up to 75+ one-inch-thick Belgian waffles per hour

Limited One-Year Warranty 208V, 2700W, 60 Hz, 6-15P CETLUS, NSF

Side-by-Side Single Belgian Waffle Makers ww250x/ww250Bx

- Dual-carriage design
- Heavy-duty die-cast housing
- Rotary feature for even baking and browning
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Embedded heating elements for precise temperature control
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators

Limited One-Year Warranty

WW250X – 120V, 2400W, 60 Hz, 5-20P Produces up to 50 one-inch-thick Belgian waffles per hour

WW250BX – 208V, 2700W, 60 Hz, 6-15P Produces up to 60 one-inch thick Belgian waffles per hour

ETLUS, NSF







Single & Double Belgian Waffle Makers WW180X/WW200

New waffle plates

can easily

be replaced

if scratched

WW180XRP

(WW180X Only)

WW180X - Single

- Produces up to 25 one-inch-thick Belgian waffles per hour
- Heavy-duty die-cast housing • Rotary feature for even
- baking and browning • Triple-coated nonstick plates
- allow easy removal of waffles and quick cleanup
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators
- 120V, 1200W, 60 Hz, 5-15P 🕥

Limited One-Year Warranty, 90-day plate warranty cETLus, NSF

WW200 - Double

- All the same features as WW180X with addition of:
- Produces up to 50, 1"-thick Belgian waffles per hour
- Unique, space-saving vertical design with independent Ready lights • Shares heating element for maximum output while using less energy
- 120V, 1400W, 60 Hz, 5-15P 🕩

Limited One-Year Warranty, 90-day plate warranty cETLus, NSF

Single & Double Classic Waffle Makers WWD180X/WWD200

WWD180X - Single

- Produces up to 35 waffles (5/8" thick) per hour
- Heavy-duty die-cast housing • Triple-coated nonstick plates allow easy removal
- of waffles and quick cleanup • Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators 120V, 1200W, 60 Hz, 5-15P (1) Limited One-Year Warranty cETLus, NSF

WWD200 - Double

- All the same features as WWD180X with addition of:
- Produces up to 60, 5/8"-thick waffles per hour
- New space-saving vertical design with independent Ready light
- 120V, 1300W, 60 Hz, 5-15P 🕩 Limited One-Year Warranty cETLus, NSF







temperature control.

(WW200 only)

Rotary feature on all waffle/waffle cone makers for even baking and browning!



Single & Double Waffle Cone Makers WWCM180/WWCM200

WWCM180 – Single

- BONUS: Includes waffle cone rolling and forming tool for ideal waffle cones! Waffle bowl kit also available as optional accessory
- Up to 60 waffle cones per hour
- Heavy-duty die-cast housing
- Triple-coated nonstick plates allow easy removal of waffle cones and quick cleanup
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators

Limited One-Year Warranty

cETLus, NSF

120V, 1200W, 60 Hz, 5-15P 🕕

WWCM200 - Double

- BONUS: Includes waffle cone rolling and forming tool for ideal waffle cones Waffle bowl kit also available as optional accessory
- Up to 120 waffle cones per hour
- Unique space-saving vertical design with independent Ready lights
- Shares heating elements for maximum output while using less energy
- Heavy-duty die-cast housing
- Triple-coated nonstick plates allow easy removal of waffle cones and quick cleanup
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators

Limited One-Year Warranty

cETLus, NSF

120V, 1400W, 60 Hz, 5-15P 🕕





WWD200

Andreas .

WWD180X

video







Single Mini Belgian Waffle Maker **WMB400X**

- Produces up to 100 one-inch-thick mini Belgian waffles per hour
- Waffles are 1-inch thick, 2³/₄ inches in diameter
- New waffle plates can easily be replaced if scratched
- Heavy-duty die-cast housing
- Rotary feature for even baking and browning
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Audible beep signals when unit is ready and when waffle is cooked
- Waffle plates can be easily replaced if scratched
- Power ON and Ready-to-Bake LED indicators

120V, 1200W, 60 Hz, 5-15P 🕥 Limited One-Year Warranty, 90-day plate warranty cETLus, NSF



New waffle plates

can easily

be replaced

if scratched

WMB400XRP

Bubble Waffle Maker **WBW300X**

- Produces up to 25 bubble waffles per hour
- Bake bubble waffles to top with ice cream and/or fillings
- Heavy-duty die-cast housing
- Rotary feature for even baking and browning
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Audible beep signals when unit is ready and when waffle is cooked
- Waffle plates can be easily replaced if scratched
- Power ON and Ready-to-Bake LED indicators 120V, 1200W, 60 Hz, 5-15P 🕥

Limited One-Year Warranty, 90-day plate warranty cETLus, NSF



can easily WBW300XRP

New waffle plates be replaced if scratched

UEV



30 bubbles! - 8.5 x 7 inches

BUBBLE MARTICANAKER

Admin Because WARFLIMANEER

NEW

1-Gallon Syrup Dispenser WSD1G

- 304 stainless steel housing and cover
- Fits a standard 1-gallon syrup container
- Dispenses approximately 1 oz. per press
- Large ergonomic handle requires less than 5 lb. of pressure to pump
- Pump screws directly into syrup container
- Stainless steel drip saucer is removable for easy cleaning
- Container removes from the base
- Base features nonskid feet for safe and stable operation
- All parts are dishwasher-safe
- Built for use with maple and breakfast syrups
- Limited 90-Day Warranty

2-Gallon Batter Dispenser WBD2G

- Industry-approved Tomlinson[®] spigot*
- 304 stainless steel housing and cover
- Fits up to 2 gallons of batter
- Spigot is removable for easy cleaning
- Stainless steel drip saucer is removable for easy cleaning
- Container removes from the base
- Base features nonskid feet for safe and stable operation
- All parts are dishwasher-safe
- Built for use with waffle, pancake and crêpe batters
- Limited 90-Day Warranty









Gelato Panini Press wicsp180

- Bake times from 5–15 seconds for the perfect gelato panini
- Triple-coated nonstick plates allow for easy panini removal and quick cleanup
- Embedded heating element to perfectly seal your gelato panini
- Heavy-duty die-cast housing
- Electronic control panel for easy cleanup
- Audible beep signals when unit is ready and when bun is warmed
- Power ON and Ready-to-Bake LED indicators
 120V, 1200W, 60 Hz, 10 Amps, 5-15P ⁽¹⁾
 Limited One-Year Warranty
 cETLus, NSF

4-inch diameter opening

Delicious gelato-filled buns toasted to perfection in 5–15 seconds!

Watch video

72

COOK





Cut bun in half and add gelato ice cream and any toppings.

Place gelato panini into press and cook.







Cut and serve.





Designed to cook both sides simultaneously with no need to flip, the Waring Commercial XPress™ minimizes cook time and maximizes output for busy cafés, ice cream shops, food trucks, concession stands, caterers and more. Originally designed to expertly make crêpes, this dual surface cooktop can also be used to warm/cook tortillas, make guesadillas and more!



WSC300

- 13.5-inch multipurpose cooktop
- Cook sweet or savory crêpes and warm tortillas quickly and easily
- 13.5-inch aluminum cooking surface with embedded heating elements for fast heat-up and recovery time
- Dual cooking surfaces cook both sides at once, eliminating the need to flip foods
- Cooking surface is triple coated with Whitford QuanTanium®* for easy removal of foods
- Electronic touchpad with precise temperature controls from 125°F-425°F (50°C-218°C)
- View temperature in Fahrenheit or Celsius
- Programmable countdown digital timer with audible beep indicators
- Includes silicone crêpe spatula to fold crêpes and remove foods without scratching nonstick surface Limited Two-Year Warranty 120V, 1800W, 5-15P cTUVus, NSF

16" Electric Crêpe Maker WSC160X/WSC165BX

- Large, 16" cast-iron cooking surface for even heat distribution
- Durable stainless steel base with heat-resistant carrying handles
- Adjustable thermostat to 570°F
- Power ON and Ready indicator lights
- Extra value! NSF-approved batter spreader and spatula included!
- WSC160X 120V, 1800W, 5-15P

WSC165BX – 208/240V, 2170/2880W, 6-15P Limited One-Year Warranty cULus, NSF









CAC173 Silicone Crêpe Spatula

Heavy-Duty Conveyor Toasters **CTS1000** Series

- Heavy-duty, brushed stainless steel construction
- Power ON and Toaster Ready indicator lights
- Cool-touch side panels
- Large, 2" opening accommodates thick breads and bagels
- Energy-saving Standby function

Limited One-Year Warranty

MODEL	LISTING	ELECTRICAL POWER		
CTS1000	UL, NSF	120V, 1800W, 5-15P 🛈		
CTS1000CND	cULus, NSF	120V, 1500W, 5-15P 🛈		
CTS1000B	cULus, NSF	208V, 2700W, 6-20P 🕒		



CTS1000/CTS1000CND

WARING

4-Slice Heavy-Duty Combination Bread & Bagel Toasters WCT800 Series

- Uniformly toast regular bread, Texas toast, frozen waffle, bagels and many other foods
- Easily replaceable industrial heating plates
- Electronic browning controls and carriage control lift levers
- Dishwasher-safe crumb tray

Limited One-Year Warranty

MODEL	LISTING	CONFIGURATION	SLOT SIZE	SLICES	ELECTRICAL POWER
WCT800	ETLus, NSF	4-slice standard	11/8" wide	300 per hr.	120V, 2200W, 5-20P 🕒
WCT800RC					120V, 1800W, 5-15P 🛈
WCT805B	cETLus, NSF	4-slice standard	1½" wide	380 per hr.	208/240V, 2028/2700W, 6-20P 🕒
WCT850RC		4-slice switchable bread/bagel controls			120V, 1800W, 5-15P 🛈
WCT855					240V, 2700W, 6-15P 🕀

WCT708/WCT708CND

- Brushed chrome steel housing
- 4 extra-wide 1³%" slots, great for bagels
- Up to 225 slices per hour
- Electronic browning controls
- 4 self-centering bread racks
- Quick-clean pullout crumb tray

Limited One-Year Warranty

MODEL LISTING		ELECTRICAL POWER		
WCT708	ETLus, NSF	120V, 1800W, 60 Hz, 5-15P 🛈		
WCT708CND	cETLus, NSF	120V, 1500W, 60 Hz, 5-15P 🛈		

2- or 4-Slice Light-Duty Toasters WCT702/WCT704

- Durable mirror-finish, chrome-plated steel construction
- Self-centering bread rack for thinly sliced breads
- Great for bagels and thickly sliced breads
- Easy Touch[™] control and LED indicators: Defrost, Reheat and Cancel
- Rotary dial browning level control
- Quick-clean pullout crumb tray Limited One-Year Warranty



MODEL	LISTING	CONFIGURATION	SLICES	ELECTRICAL POWER
WCT702	cETLus, NSF	Extra-wide 1 ³ /8" slots	2-slice	120V, 1800W, 60 Hz, 5-15P 🛈
WCT704	cETLus, NSF	2 extra-long, extra-wide 1 ³ /8" slots	2- or 4-slice	120V, 1500W, 60 Hz, 5-15P 🛈



4-Slice Medium-Duty Toasters





HONEY BOBA TEA

INGREDIENTS

³/₄ cup tapioca pearls
4¹/₂ cups water
³/₄ cup honey
3 tbsp. loose black tea
4 cups water
1¹/₂ cups whole milk (or milk alternative)

CORE EQUIPMENT

WWB5G Hot Water Dispenser H [to heat and hold water]

CROSSOVER EQUIPMENT

WIH200 Induction Range H [to make honey simple syrup and boba pearls]

BREW

Click here for full recipe.

Waring Commercial

COFFEE **BREWERS**

Quality. Efficiency. Durability. Commercial coffee brewing made simple.

Café Deco® coffee brewers are designed to meet rising demand for fresh-brewed coffee at today's busy foodservice operations. Easy to operate and engineered for reliable output, each unit brews coffee to perfection. Choose from pour-over, automatic, thermal and airpot models.

Waring Coffee Brewers WCM50/50P/60PT/70PAP




• High-end industrial design

NEW

- Ready and Power lights
- Optimum water temperature for brewing
- Stainless steel construction
- Space-saving designs
- Perfect for restaurants, diners, cafés and convenience stores 120V, 60Hz, 5-15P 🕠
- WCM50/WCM50P 1,800W WCM60PT/WCM70PAP - 1,660W

Two Year Parts, One-Year Labor Warranty TUVus, NSF



Pour-Over Coffee Brewer

- **WCM50** Completely
- portable 64 oz., coffeemaker! 2 separately
- controlled PTC warmers
- No plumbing required!

Automatic Thermal **Coffee Brewer** WCM60PT

- Built-in pour-over feature
- Hot water faucet for soups and hot drinks
- Designed for use with thermal carafes

WARMERS & ACCESSORIES



- Self regulating warmers prevent
- Saves energy compared to continuous heat models
- Low profile, simple design
- Keeps coffee fresh and hot
- Stainless steel construction
- Perfect for restaurants, cafés
- Two-year parts and one-year



- Vacuum insulated • Easy-pour handle
- Double-wall stainless steel construction Comes with orange silicone ring to indicate decaf brew

Stainless Steel Airpots **WCA22/WCA25**

- For use with airpot brewers
- Keeps liquids hot for hours
- Vacuum-insulated
- Removable lid for easy cleaning WCA22 - 2.2-Liter

WCA25 - 2.5-Liter



NEW



Automatic Coffee Brewer WCM50P

- 2 separately controlled PTC warmers
- Built-in pour-over feature
- Hot water faucet for soups and hot drinks



Airpot Coffee Brewer WCM70PAP

- Designed especially for airpots
- Hot water faucet for soups and hot drinks
- Push button brew start

64-oz. Stainless Steel Thermal Carafe







Commercial Coffee Urns WCU Series

- Brushed stainless steel housing
- Commercial-grade nonstick-coated heater
- All-stainless steel construction, including internals
 and parts
- Dual-heater system for brewing and keeping warm at optimal temperatures; brews at 200°F and dispenses at approximately 185°F
- ON/OFF lighted Power switch and Ready indicator light
- Boil-dry protection with auto reset

WCU30 – 30-cup capacity

WCU55 – 55-cup capacity

WCU110 - 110-cup capacity

120V, 1500W, 5-15P 🚺

Limited One-Year Warranty

cETLus, NSF

WCU55

WCU30

10-Gallon Hot Water Dispensers WWB10G Series

- Digital controls and LCD display for ease of operation
- Precise temperature control and accuracy
- Automatic water refill or pour-over capability
- Heat 10 gallons in 3 hours
- All-stainless steel construction
- Tomlinson® No-Drip® tap operation*
- Set night-mode feature to automatically start heating overnight so water is hot when you need it
- Knuckle guard for safe operation during dispensing
- WWB10G 120V, 1800W, 60 Hz, 5-15P 🕕
- WWB10GC 120V, 1800W, 60 Hz, 5-20P
- WWB10GB 208/240V, 2800/3200W, 60 Hz, 6-15P 🔄

Limited One-Year Warranty

ctUVus, NSF



*Tomlinson®, No-Drip® and the Faucet and Handle configurations are registered trademarks of The Meyer Company, Cleveland, Ohio.





3-& 5-Gallon Hot Water Dispensers **WWB3G/WWB5G**

The Waring[®] Commercial 3- & 5-Gallon Hot Water Dispensers

Designed to conserve countertop space while providing maximum dependability and durability. Equipped with digital controls and an adjustable temperature range, the unit is simple to use, with a removable drip tray that makes cleanup easy. The night-mode feature ensures hot water is ready to pour from the drip-proof tap whenever needed. Great for corporate kitchens, convenience stores and catered events.

- Digital controls and LCD display for ease of operation
- Precise temperature control and accuracy
- Temperature range from $150^{\circ}F 205^{\circ}F$ ($65^{\circ}C 96^{\circ}C$)
- Stainless steel construction
- Tomlinson[®] No-Drip[®] tap operation*
- Set night-mode feature to automatically start heating overnight so water is hot when you need it
- Guard rails for warming surface
- Removable drip tray for easy and convenient cleaning
- Small footprint saves on counter space
- **WWB5G**: Additional fold-down shelf for small cup. Enough clearance between drip tray and the spigot to accommodate 3 liter airpots
- Uses: Tea, coffee, soups, grits, oatmeal, etc.
 120V, 1440W, 60Hz, 5-15P (1)
- Limited One-Year Warranty

cETLus, NSF



The elevated cup shelf folds up to provide an extra-high dispensing area to accommodate the largest carafes, up to 15 inches.



*Tomlinson®, No-Drip® and the Faucet and Handle configurations are registered trademarks of The Meyer Company, Cleveland, Ohio.



The 9-inch clearance between the drip tray and the spigot accommodates extra-tall mugs and carafes.

WWB5G



WWB3G



waringcommercialproducts.com



©2021 Waring Commercial For information on all Waring Commercial products in the U.S. and Canada, contact Waring Commercial, 314 Ella T. Grasso Avenue • Torrington, CT 06790 Tel. (800) 492-7464 • www.waringcommercialproducts.com 21WC075579