

COOKMATIC



Cookmatic è una macchina ideata per la produzione di basi per tartellette, pastafrolla dolce e salata di varie forme e misure grazie alle piastre intercambiabili. Tramite l'accoppiamento delle due piastre (riscaldiate) e di una semplice pallina di pasta, otterrete delle tartellette pronte per essere farcite e decorate a piacere. Cookmatic è una macchina semplice all'uso, grazie anche al software elettronico di cui è dotata che consente la massima precisione nelle cotture: basta impostare la temperatura desiderata (che apparirà sul display) e il tempo necessario per la cottura del vostro impasto. Mettere le dosi di impasti nelle varie formine, chiudere le piastre con gli appositi manici atermici e premere START. Un segnale acustico vi avviserà a cottura avvenuta al termine del tempo da voi selezionato. Il prodotto ottenuto avrà quindi le caratteristiche qualitative ed il gusto della vostra pastafrolla, ma con costi di produzione decisamente più bassi. Infatti una sola persona è in grado di produrre circa 700 tartellette mignon in un'ora, stampate e cotte. Per particolari esigenze, riducendo i tempi di cottura, si possono produrre tartellette precotte al 50-70% per poi poterle farcire con creme o ripieni diversi, ultimando la cottura in forno.

CookMatic is a machine conceived to make pastry bases, sweet and savoury short pastry, savoury puff pastry of different shapes and sizes by virtue of its interchangeable plates. By the coupling of the two heated plates and a simple little piece of dough, you can obtain pastries ready to be stuffed and decorated according to your taste. CookMatic is a machine which is easy to use, thanks to the electronic software during cooking processes you can reach maximum precision. You just have to set the required temperature (which will appear on the display) and the time necessary to cook your dough. Put the doses of dough into the machine, close the plates with their heatless handle and push START. An acoustic signal will inform you when the selected cooking time is reached. Quality and taste of your short pastry will be the same having lower production cost. With our machine a single person can make about 700 small pastries per hour, moulded and cooked. For specific needs, reducing cooking time, you can get 50 – 70 % precooked pastry to be stuffed later with cream or different filling and finish their cooking in the oven.



Caratteristiche tecniche/ Technical Features	
Dimensioni <i>Dimensions</i>	53X44 h38 cm h
Peso <i>Weight</i>	22 Kg
Potenza assorbita <i>Power</i>	2800 Watt
Tensione di esercizio <i>Voltage</i>	220/240 Volt
Disponibile a richiesta <i>Available on demand</i>	110 Volt-380 Volt
Peso di una coppia di piastre <i>One plates's couple weight</i>	11 Kg



PIASTRE →

Cookmatic Piastre / Plates

Cookmatic monta due piastre di cottura: piastra superiore e piastra inferiore, entrambe rivestite di un materiale speciale (P.T.F.E.) specifico per i prodotti che vanno a contatto con gli alimenti. Le piastre di cottura sono intercambiabili a coppie (maschio e femmina) e sono fornite su richiesta, proprio per soddisfare le esigenze più eterogenee: hanno forme, misure e profili di vari disegni.

Two baking plates, an upper and a lower one, are put onto the Cookmatic machine. The plates are covered in a special P.T.F.E. material specific for products that come into contact with foodstuffs. Interchangeable pairs of male and female plates can be supplied on request, to satisfy various requirements: they contain moulds in a variety of shapes, measurements and designs.

PIASTRA A / PLATE A

Profilo festonato
13 impronte tonde grandi
Ø sup. 68 mm
H 18,5 mm
spess. pareti 4 mm
spess. fondo 6 mm



Festooned
13 big round moulds
Ø up to 68 mm
H 18,5 mm
border thickness 4 mm
bottom thickness 6 mm

PIASTRA B / PLATE B

Profilo festonato
30 impronte tonde medie
Ø sup. 47 mm
H 15 mm
spess. pareti 3 mm
spess. fondo 4,5 mm



Festooned
30 medium round moulds
Ø up to 47 mm
H 15 mm
border thickness 3 mm
bottom thickness 4,5 mm

PIASTRA C / PLATE C

Profilo festonato
15 impronte barchetta grande
DIM. 70 x 58 mm
H 16 mm
spess. pareti 4 mm
spess. fondo 6 mm



Festooned
13 big oval moulds
DIM. 70 x 58 mm
H 16 mm
border thickness 4 mm
bottom thickness 6 mm

PIASTRA D / PLATE D

Profilo liscio
30 impronte tonde mignon
Ø sup. 41 mm
H 16 mm
spess. pareti 4 mm
spess. fondo 6 mm



Smooth
30 mignon round moulds
Ø up to 41 mm
H 16 mm
border thickness 4 mm
bottom thickness 6 mm

PIASTRA E / PLATE E

Profilo festonato
30 impronte barchetta mignon
DIM. 68 x 34 mm
H 15 mm
spess. pareti 3 mm
spess. fondo 5 mm



Festooned
30 mignon oval moulds
DIM. 68 x 34 mm
H 15 mm
border thickness 3 mm
bottom thickness 5 mm

PIASTRA F / PLATE F

Profilo festonato
8 impronte tonde grandi
Ø sup. 90 mm
H 21 mm
spess. pareti 3 mm
spess. fondo 6 mm



Festooned
8 Round moulds
Ø up to 90 mm
H 21 mm
border thickness 3 mm
bottom thickness 6 mm

Cookmatic Piastre / Plates

PIASTRA G / PLATE G

Profilo festonato
25 impronte quadrate
DIM. 45 x 45 mm
H 15 mm
spess. pareti 3 mm
spess. fondo 5 mm

Festooned
25 square moulds
DIM. 45 x 45 mm
H 15 mm
border thickness 3 mm
bottom thickness 5 mm



PIASTRA H / PLATE H

Profilo festonato
16 impronte stella
DIM. 64 x 64 mm
H 15 mm
spess. pareti 3 mm
spess. fondo 5 mm

Festooned
16 star moulds
DIM. 64 x 64 mm
H 15 mm
border thickness 3 mm
bottom thickness 5 mm



PIASTRA I / PLATE I

Profilo liscio
30 impronte cuore
DIM. 47 x 50 mm
H 18 mm
spess. pareti 4 mm
spess. fondo 5 mm


Smooth
30 heart moulds
DIM. 47 x 50 mm
H 18 mm
border thickness 4 mm
bottom thickness 5 mm



PIASTRA J / PLATE J

Profilo liscio
30 impronte fiore
Ø sup. 40 mm
H 20 mm
spess. pareti 3 mm
spess. fondo 3 mm

Smooth
30 flower moulds
Ø up to 40 mm
H 20 mm
border thickness 3 mm
bottom thickness 3 mm



PIASTRA K / PLATE K

Profilo liscio
20 impronte cucchiaino
DIM. 78 x 38 mm
H 11 mm
spess. pareti 3 mm
spess. fondo 3 mm


Smooth
20 spoon moulds
DIM. 78 x 38 mm
H 11 mm
border thickness 3 mm
bottom thickness 3 mm



PIASTRA L / PLATE L

Cialde con incrocio
4 impronte
DIM. 170 x 142 mm
H 2,5 mm

Wafer with cross
30 mignon round moulds
DIM. 170 x 142 mm
H 2,5 mm



PIASTRA M / PLATE M

Profilo liscio
30 impronte ovale
DIM. 57 x 39 mm
H 14,5 mm
spess. pareti 4 mm
spess. fondo 4 mm

Smooth
30 oval moulds
DIM. 57 x 39 mm
H 14,5 mm
border thickness 4 mm
bottom thickness 4 mm



PIASTRA N / PLATE N

Profilo liscio
8 impronte noce
DIM. 40 x 34 mm
H 18,5 mm
spess. pareti 3 mm
spess. fondo 3,5 mm

Smooth
8 walnut moulds
DIM. 40 x 34 mm
H 18,5 mm
border thickness 3 mm
bottom thickness 3,5 mm



Cookmatic Piastre / Plates

PIASTRA O / PLATE O

Profilo liscio
30 impronte tonde medie
Ø sup. 42 mm
H 17 mm
spess. pareti 3,5 mm
spess. fondo 4 mm



Smooth
30 medium round moulds
Ø up to 42 mm
H 17 mm
border thickness 3,5 mm
bottom thickness 4 mm

PIASTRA P / PLATE P

Profilo liscio
30 impronte quadrate
DIM. 34 x 34 mm
H 19 mm
spess. pareti 3 mm
spess. fondo 4 mm



Smooth
30 square moulds
DIM. 34 x 34 mm
H 19 mm
border thickness 3 mm
bottom thickness 4 mm

PIASTRA Q / PLATE Q

Profilo liscio
35 impronte rettangolari
DIM. 52 x 29 mm
H 16 mm
spess. pareti 3 mm
spess. fondo 4 mm



Smooth
13 rectangular moulds
DIM. 52 x 29 mm
H 16 mm
border thickness 3 mm
bottom thickness 4 mm

PIASTRA R / PLATE R

Profilo liscio
30 impronte "cucchiaino"
DIM. 68 x 33 mm
H 15 mm
spess. pareti 4 mm
spess. fondo 4 mm



Smooth
30 spoon moulds
DIM. 68x33 mm
H 15 mm
border thickness 4 mm
bottom thickness 4 mm

PIASTRA S / PLATE S

Profilo liscio
4 impronte torta
Ø sup. 129 mm
H 21 mm
spess. pareti 3 mm
spess. fondo 4 mm



Smooth
4 cake moulds
Ø up to 129 mm
H 21 mm
border thickness 3 mm
bottom thickness 4 mm

PIASTRA T / PLATE T

Profilo liscio
6 impronte torta
Ø sup. 109 mm
H 21 mm
spess. pareti 3 mm
spess. fondo 4 mm



Smooth
6 cake moulds
Ø up to 109 mm
H 21 mm
border thickness 3 mm
bottom thickness 4 mm

PIASTRA U / PLATE U

Profilo liscio
12 impronte quadrato piccolo
DIM. 69,3 x 69,3 mm
H 15 mm
spess. pareti 3 mm
spess. fondo 4 mm



Smooth
12 little square moulds
DIM. 69,3 x 69,3 mm
H 15 mm
border thickness 3 mm
bottom thickness 4 mm

PIASTRA UM / PLATE UM

Profilo liscio
12 impronte quadrato piccolo
DIM. 69,3 x 69,3 mm
H 20 mm
spess. pareti 3 mm
spess. fondo 4 mm



Smooth
12 little square moulds
DIM. 69,3 x 69,3 mm
H 20 mm
border thickness 3 mm
bottom thickness 4 mm

Cookmatic Piastre / Plates

PIASTRA V / PLATE V

Profilo liscio
1 impronta torta grande
Ø sup. 230 mm
H 22 mm
spess. pareti 4 mm
spess. fondo 8 mm

Smooth
1 big cake mould
Ø up to 230 mm
H 22 mm
border thickness 4 mm
bottom thickness 8 mm



PIASTRA W / PLATE W

Profilo liscio
9 impronte tonde
Ø sup 80 mm
H 20 mm
spess. pareti 3 mm
spess. fondo 3,5 mm

Smooth
9 round moulds
Ø up to 80 mm
H 20 mm
border thickness 3 mm
bottom thickness 3,5 mm



PIASTRA X / PLATE X

Profilo liscio
14 impronte rettangolo grande
DIM. 120 x 20 mm
H 20 mm
spess. pareti 2,5 mm
spess. fondo 3,5 mm

Smooth
14 rectangular moulds
DIM. 120 x 20 mm
H 20 mm
border thickness 2,5 mm
bottom thickness 3,5 mm



PIASTRA Y / PLATE Y

Profilo liscio
30 impronte funghetto
Ø sup. 40 mm
H 17,5 mm
spess. pareti 3 mm
spess. fondo 3 mm

Smooth
30 mushroom moulds
Ø up to 40 mm
H 17,5 mm
border thickness 3 mm
bottom thickness 3 mm



PIASTRA Z / PLATE Z

Profilo liscio
2 impronte torta media
Ø sup. 160 mm
H 22 mm
spess. pareti 4 mm
spess. fondo 8 mm

Smooth
2 medium cake moulds
Ø up to 160 mm
H 22 mm
border thickness 4 mm
bottom thickness 8 mm



PIASTRA 1 / PLATE 1

Profilo liscio
30 impronte cuore
DIM. 45 x 46 mm
H 18 mm
spess. pareti 3,5 mm
spess. fondo 4 mm

Smooth
30 heart moulds
DIM. 45 x 46 mm
H 18 mm
border thickness 3,5 mm
bottom thickness 4 mm



PIASTRA 12 / PLATE 12

Profilo liscio
25 impronte tonde piccole
Ø sup. 52 mm
H 20 mm
spess. pareti 3,5 mm
spess. fondo 4 mm


Smooth
25 little round moulds
Ø up to 52 mm
H 20 mm
border thickness 3,5 mm
bottom thickness 4 mm



PIASTRA 11 / PLATE 11

Profilo liscio
8 impronte disco
Ø sup. 100 mm
H 6 mm

Smooth
8 disc moulds
Ø up to 100 mm
H 6 mm




Cookmatic Piastra / Plates

PIASTRA 2 / PLATE 2

Profilo liscio
30 impronte tonde piccole
Ø sup. 40 mm
H 18 mm
spess. pareti 2,5 mm
spess. fondo 3 mm


Smooth
30 little round moulds
Ø up to 40 mm
H 18 mm
border thickness 2,5 mm
bottom thickness 3 mm



PIASTRA 3 / PLATE 3

Profilo liscio
30 impronte quadrato
DIM. 40 x 40 mm
H 19 mm
spess. pareti 2,5 mm
spess. fondo 3 mm


Smooth
30 square moulds
DIM. 40 x 40 mm
H 19 mm
border thickness 2,5 mm
bottom thickness 3 mm



PIASTRA 4 / PLATE 4

Profilo liscio
24 impronte rettangolo
DIM. 69,5 x 33,5 mm
H 8 mm
spess. pareti 2,5 mm
spess. fondo 3 mm


Smooth
24 rectangle moulds
DIM. 69,5 x 33,5 mm
H 8 mm
border thickness 2,5 mm
bottom thickness 3 mm



PIASTRA 5 / PLATE 5

Profilo liscio
30 impronte noce
DIM. 38 x 32 mm
H 16 mm
spess. pareti 3 mm
spess. fondo 3 mm


Smooth
30 walnut moulds
DIM. 38 x 32 mm
H 16 mm
border thickness 3 mm
bottom thickness 3 mm




PIASTRA 6 / PLATE 6

8 impronte ø 98/78 mm
H 15 mm
spess. pareti 3 mm
spess.fondo 4 mm

Plate male/female
8 indentsø max 98/78 mm
H 15 mm
border thickness 3 mm
bottom thickness 4 mm



New




PIASTRA 8 / PLATE 8

25 impronte 56x44 mm
H 23 mm
spess. pareti 3 mm
spess.fondo 3 mm

25 indentsø 56x44 mm
H 23 mm
border thickness 3 mm
bottom thickness 4 mm



New




PIASTRA 9/ PLATE 9

30 impronte ø 33/28 mm
H 20 mm
spess. pareti 3 mm
spess.fondo 4 mm

Plate male/female
30 indents ø 33/28 mm
H 20 mm
border thickness 3 mm
bottom thickness 4 mm



New




PIASTRA 10/ PLATE 10

30 impronte 33x33 mm
H 17 mm
spess. pareti 3 mm
spess.fondo 4 mm

Plate male/female
30 indents 33x33 mm
H 17 mm
border thickness 3 mm
bottom thickness 4 mm




New



Cookmatic Piastre / Plates


PIASTRA 13/ PLATE 13




New

16 impronte ø 68/61 mm
H 18 mm
spess. pareti 3,2 mm
spess.fondo 3,2 mm

Plate male/female
16 indents ø max 68/61 mm
H 18 mm
border thickness 3,2 mm
bottom thickness 3,2 mm




PIASTRA 14/ PLATE 14



New

25 impronte 46x40 mm
H 25 mm
spess. pareti 3,5 mm
spess.fondo 4,5 mm

Plate male/female
25 indents 46x40 mm
H 25 mm
border thickness 3,5 mm
bottom thickness 4,5 mm




PIASTRA 15/ PLATE 15




New

25 impronte ø 35 mm
H 25 mm
spess. pareti 3,5 mm
spess.fondo 4,5 mm

Plate male/female
25 indents ø 35 mm
H 25 mm
border thickness 3,5 mm
bottom thickness 4,5 mm




PIASTRA 17/ PLATE 17




New

25 impronte 40x25 mm
H 25 mm
spess. pareti 3,5 mm
spess.fondo 4,5 mm

Plate male/female
25 indents 40x25 mm
H 25 mm
border thickness 3,5 mm
bottom thickness 4,5 mm




PIASTRA 18/ PLATE 18



New

14 impronte 115x60 mm
H 25 mm
spess. pareti 3,5 mm
spess.fondo 4,5 mm

Plate male/female
14 indents 115x60 mm
H 25 mm
border thickness 3,5 mm
bottom thickness 4,5 mm



PIASTRA 19/ PLATE 19



New

28 impronte 70x40 mm
H 25 mm
spess. pareti 3,5 mm
spess.fondo 4,5 mm

Plate male/female
28 indents 70x40 mm
H 25 mm
border thickness 3,5 mm
bottom thickness 4,5 mm



PIASTRA 20/ PLATE 20



New

25 impronte ø 35 mm
H 25 mm
spess. pareti 3,5 mm
spess.fondo 4,5 mm

Plate male/female
25 indents ø 35 mm
H 25 mm
border thickness 3,5 mm
bottom thickness 4,5 mm

