

ELECTRIC AND GAS OVENS:

This appliance complies with the eco-design requirements of Regulation (EU) No. 65/2014, which supplements Directive 2010/30/EU, and Regulation (EU) No. 66/2014, which supplements Directive 2009/125/EC, in accordance with EN 60350-1, EN 15181 and EN 50564

ENERGY SAVING TIPS

- Where possible, avoid pre-heating the oven and always try to fill it. Only open the oven door as far as necessary because heat is lost each time it is opened. A great deal of energy can be saved by turning off the oven 5 to 10 minutes before the end of the planned cooking time and using the heat that the oven continues to generate.
- The automatic programs are based on standard food products.
- Keep the seals clean and in good condition to avoid wasting energy.
- If your electricity contract has higher and lower rates depending on the time of day, the "delayed cooking" program will make it easier to save by moving the start of the program to a time when the rate is lower.

! This product meets the requirements of the new European Directive on the limitation of energy consumption in standby mode.

| This product complies with Commission Delegated Regulation (EU) No. 65/2014 | |
|---|----------|
| Brand | Kaiser |
| Model | EH 6323 |
| EEL [%] Energy Efficiency Index - Main oven ¹⁾ | 93 |
| EEL [%] Energy Efficiency Index - Secondary oven ¹⁾ | |
| ENERGY EFFICIENCY CLASS - Main oven ²⁾ | A |
| ENERGY EFFICIENCY CLASS - Secondary oven ²⁾ | |
| CURRENT CONSUMPTION IN CONVENTIONAL MODE [kWh/Cycle] - Main oven ³⁾ | 0,78 |
| CURRENT CONSUMPTION IN CONVENTIONAL MODE [kWh/Cycle] - Secondary oven ³⁾ | |
| CURRENT CONSUMPTION IN FORCED VENTILATION MODE [kWh/Cycle] - Main oven ³⁾ | 0,83 |
| CURRENT CONSUMPTION IN FORCED VENTILATION MODE [kWh/Cycle] - Secondary oven ³⁾ | |
| CURRENT CONSUMPTION IN CONVENTIONAL MODE [MJ/Cycle] - Main oven ³⁾ | |
| CURRENT CONSUMPTION IN CONVENTIONAL MODE [MJ/Cycle] - Secondary oven ³⁾ | |
| CURRENT CONSUMPTION IN FORCED VENTILATION MODE [MJ/Cycle] - Main oven ³⁾ | |
| CURRENT CONSUMPTION IN FORCED VENTILATION MODE [MJ/Cycle] - Secondary oven ³⁾ | |
| NUMBER OF CAVITIES | 1 |
| HEAT SOURCE - Main oven | electric |
| HEAT SOURCE - Secondary oven | |
| USABLE VOLUME [L] - Main oven | 69 L |
| USABLE VOLUME [L] - Secondary oven | |

¹⁾ Energy Efficiency Index calculated according to the volume and energy consumption of each cavity.
²⁾ From A+++ (low consumption) to D (high consumption).
³⁾ Based on the results of standard tests that simulate the thermal properties of foods. Consumption depends on the mode of use

| Product information complies with Commission Delegated Regulation (EU) No. 66/2014 | | | |
|--|--------------------|---------------|-----------|
| | Symbol | Value | Unit |
| Identification of the model | | EH 6323 | |
| Type of oven | | Electric oven | |
| Mass of the appliance | M | 39.0 | kg |
| Number of cavities | | 1 | |
| Source of heat per cavity (electricity or gas) | | electricity | |
| Volume per cavity - Main cavity | IN | 69 | l |
| Volume per cavity - Secondary cavity | IN | X | l |
| Energy consumption (electricity) required to heat a standardized load in a cavity of an electrically heated oven during a cycle in conventional mode per cavity (final electricity) - Main cavity | EC electric cavity | 0.78 | kWh/cycle |
| Energy consumption (electricity) required to heat a standardized load in a cavity of an electrically heated oven during a cycle in conventional mode per cavity (final electricity) - Secondary cavity | EC electric cavity | X.XX | kWh/cycle |
| Energy consumption (electricity) required to heat a standardized load in a cavity of an electrically heated oven during a cycle in forced ventilation mode per cavity (final electricity) - Main cavity | EC electric cavity | 0.83 | kWh/cycle |
| Energy consumption (electricity) required to heat a standardized load in a cavity of an electrically heated oven during a cycle in forced ventilation mode per cavity (final electricity) - Secondary cavity | EC electric cavity | X.XX | kWh/cycle |
| Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in conventional mode per cavity (final gas) - Main cavity | EC gas cavity | X.XX | MJ/cycle |
| Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in conventional mode per cavity (final gas) - Main cavity | EC gas cavity | X.XX | kWh/cycle |
| Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in conventional mode per cavity (final gas) - Secondary cavity | EC gas cavity | X.XX | MJ/cycle |
| Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in forced ventilation mode per cavity (final gas) - Main cavity | EC gas cavity | X.XX | MJ/cycle |
| Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in forced ventilation mode per cavity (final gas) - Main cavity | EC gas cavity | X.XX | kWh/cycle |
| Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in forced ventilation mode per cavity (final gas) - Secondary cavity | EC gas cavity | X.XX | MJ/cycle |
| Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in forced ventilation mode per cavity (final gas) - Secondary cavity | EC gas cavity | X.XX | kWh/cycle |
| Energy Efficiency Index per cavity - Main cavity | EEL cavity | 93 | |
| Energy Efficiency Index per cavity - Secondary cavity | EEL cavity | X.X | |

1 kWh/cycle = 3.6 MJ/cycle