










Articlenumber	Type
1009959	OV 22 TOUCH
1009960	OV 32 TOUCH
1009961	OV 33 TOUCH
1009962	OV 42 TOUCH
1009963	OV 43 TOUCH
1011141	OV 53 TOUCH
1011142	OV 63 TOUCH



F - EU	03139	1002864
	1N~ 230V 3200W 16A	
G - UK	03291	1004113
	1N~ 240V 3000W 13A	
J - CH	03216	1005829
	1N~ 230V 2200W 10A	
K - DK	03216	1004114
	1N~ 230V 2200W 10A	



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
Articlenumber : 1010547

From mach. nr. : 1AG12345  
Date : 01-2023

Page : 1 - 28  
Rev : 2.1 - 21-03-2023


Rated voltage : 1N~ 220-240V 50-60Hz 3260W





Drawer : JK  
Date : 26-05-2021








Spare Parts Info

**ANIMO**  
www.animo.eu

Articlenumber	Type
1009964	OV 11 TS TOUCH
1009965	OV 22 TS TOUCH
1009966	OV 32 TS TOUCH
1009967	OV 33 TS TOUCH
1009968	OV 42 TS TOUCH
1009969	OV 43 TS TOUCH
1011143	OV 53 TS TOUCH
1011144	OV 63 TS TOUCH



F - EU	03139	1002864
	1N~ 230V 3200W 16A	
G - UK	03291	1004113
	1N~ 240V 3000W 13A	
J - CH	03216	1005829
	1N~ 230V 2200W 10A	
K - DK	03216	1004114
	1N~ 230V 2200W 10A	



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
Articlenumber : 1010547

From mach. nr. : 1AG12345  
Date : 01-2023

Page : 2 - 28  
Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W


Drawer : JK  
Date : 26-05-2021





Spare Parts Info

**ANIMO**  
www.animo.eu


Articlenumber	Type
1009970	OV 11 TL TOUCH
1009971	OV 22 TL TOUCH
1009972	OV 32 TL TOUCH
1009973	OV 33 TL TOUCH
1009974	OV 42 TL TOUCH
1009975	OV 43 TL TOUCH
1011145	OV 53 TL TOUCH

page 8




F - EU	03139	1002864
	1N~ 230V 3200W 16A	
G - UK	03291	1004113
	1N~ 240V 3000W 13A	
J - CH	03216	1005829
	1N~ 230V 2200W 10A	
K - DK	03216	1004114
	1N~ 230V 2200W 10A	



1007011




1000302




1000301



1007829



1003827



1001228



1002864\*  
F - EU

\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
Articlenumber : 1010547

From mach. nr. : 1AG12345  
Date : 01-2023

Page : 3 - 28  
Rev : 2.1 - 21-03-2023


Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
Date : 26-05-2021

Spare Parts Info

**ANIMO**

www.animo.eu



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 4 - 28  
 Rev : 2.1 - 21-03-2023


Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021

Spare Parts Info

**ANIMO**  
 www.animo.eu

# OV TOUCH



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 5 - 28  
 Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W


Drawer : JK  
 Date : 26-05-2021

Spare Parts Info

**ANIMO**

www.animo.eu

# OV TOUCH TS



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 6 - 28  
 Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W


Drawer : JK  
 Date : 26-05-2021

Spare Parts Info

**ANIMO**

www.animo.eu

# OV TOUCH TL



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 7 - 28  
 Rev : 2.1 - 21-03-2023


Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021

Spare Parts Info

**ANIMO**

www.animo.eu



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 8 - 28  
 Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021

Spare Parts Info


**ANIMO**

www.animo.eu



# OV TOUCH 11 (TS / TL)

- ①
- ② 35025 - 14x 9 L= 720
- ③ 35085- 14x 9 L= 105
- ④ 35045 - 12x 8 L= 520
- ⑤ 35124 - 14x 9 L= 310
- ⑥ 35064 - 12x 8 L= 410
- ⑦ 1003901 - 12x 8 L= 60
- ⑧ 1003896 - 12x 8 L= 440
- ⑨ 1003898 - 14x 9 L= 210
- ⑩



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 9 - 28  
 Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021


Spare Parts Info

**ANIMO**  
 www.animo.eu


# OV TOUCH 22 / 32 / 42 (TS / TL)

- ①
- ② 35025 - 14x 9 L= 720
- ③ 35085- 14x 9 L= 105
- ④ 35045 - 12x 8 L= 520
- ⑤ 35124 - 14x 9 L= 310
- ⑥ 1003896 - 12x 8 L= 440
- ⑦ 1003899 - 14x 9 L= 280
- ⑧ 35035 - 12x 8 L= 75
- ⑨ 35035 - 12x 8 L= 75
- ⑩ 1003898 - 14x 9 L= 210
- ⑪

- 1x - 02900
- 4x - 03251
- 4x - \*03250



OVT : 35040 - 14x 9 L= 230  
 OVT TS : 35016 - 14x 9 L= 350  
 OVT TL : 11531 - 14x 9 L= 460




\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH	From mach. nr. : 1AG12345	Page : 10 - 28	<b>ANIMO</b> www.animo.eu
Articlenumber : 1010547	Date : 01-2023	Rev : 2.1 - 21-03-2023	
Rated voltage : 1N~ 220-240V 50-60Hz 3260W	Drawer : JK Date : 26-05-2021	<b>Spare Parts Info</b>	

# OV TOUCH 33 / 43 (TS / TL)

- ① 35025 - 14x 9 L= 720
- ② 35045 - 12x 8 L= 520
- ③ 35085 - 14x 9 L= 105
- ④ 35031 - 14x 9 L= 90
- ⑤ 35007 - 14x 9 L= 255
- ⑥ 35085 - 14x 9 L= 105
- ⑦ 1003898 - 14x 9 L= 210
- ⑧ 35064 - 12x 8 L= 410
- ⑩ 35085 - 14x 9 L= 105
- ⑪ 1003898 - 14x 9 L= 210
- ⑫ 35092 - 12x 8 L= 110
- ⑬ 35035 - 12x 8 L= 75
- ⑭ 35035 - 12x 8 L= 75
- ⑮ 1003898 - 14x 9 L= 210
- ⑯
- ⑰ 35019 - 14x 9 L= 290



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 11 - 28  
 Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W


Drawer : JK  
 Date : 26-05-2021

Spare Parts Info

**ANIMO**  
 www.animo.eu

# OV TOUCH 53 / 63 (TS / TL)

- ① 35025 - 14x 9 L= 720
- ② 35045 - 12x 8 L= 520
- ③ 35085- 14x 9 L= 105
- ④ 35045 - 12x 8 L= 520
- ⑤ 35031 - 14x 9 L= 90 [ov53]
- ⑥ 35085- 14x 9 L= 105 [ov63]
- ⑦ 35007- 14x 9 L= 255
- ⑧ 1003898 - 14x 9 L= 210
- ⑨ 35064 - 12x 8 L= 410
- ⑩ 35085- 14x 9 L= 105
- ⑪ 1003898 - 14x 9 L= 210
- ⑫ 35092 - 12x 8 L= 110
- ⑬ 1003901 - 12x 8 L= 60
- ⑭ 35035 - 12x 8 L= 75
- ⑮ 1003898 - 14x 9 L= 210
- ⑯
- ⑰ 35019 - 14x 9 L= 290



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 12 - 28  
 Rev : 2.1 - 21-03-2023


Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021


Spare Parts Info

**ANIMO**  
 www.animo.eu

# OVT 11



# OVT 22



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 13 - 28  
 Rev : 2.1 - 21-03-2023


Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021


Spare Parts Info

**ANIMO**  
 www.animo.eu

# OVT 32 / 33



# OVT 42 / 43



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 14 - 28  
 Rev : 2.1 - 21-03-2023


Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021


Spare Parts Info

**ANIMO**  
 www.animo.eu

# OVT 53



# OVT 63



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 15 - 28  
 Rev : 2.1 - 21-03-2023


Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021


Spare Parts Info

**ANIMO**


www.animo.eu




03258  
160mm - 5,1ltr



1001768  
42mm - 1,2ltr



03284  
78mm - 2,3ltr



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
Articlenumber : 1010547

From mach. nr. : 1AG12345  
Date : 01-2023

Page : 16 - 28  
Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W


Drawer : JK  
Date : 26-05-2021

Spare Parts Info


**ANIMO**  
www.animo.eu




Hygiëneset 1003985  
Optivend 11, 11TS, 11TL




1003986 Hygiëneset  
Optivend 32, 42, 22TS, 32TS, 42TS,  
22(TS/TL)DUO, 42(TS/TL)DUO




Hygiëneset 1003987  
Optivend 33, 43, 33TS, 43TS



Hygiëneset 1003988  
Optivend 53, 53TS, 53TL



Hygiëneset 1003990  
Optivend 63, 63TS NG



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
Articlenumber : 1010547

From mach. nr. : 1AG12345  
Date : 01-2023

Page : 17 - 28  
Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W



Drawer : JK  
Date : 26-05-2021

Spare Parts Info

ANIMO

www.animo.eu

OptiVend x1 (TS / TL) Touch



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 18 - 28  
 Rev : 2.1 - 21-03-2023



Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021

Spare Parts Info

**ANIMO**  
 www.animo.eu

OpiVend x2 (TS / TL) Touch



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023

Page : 19 - 28  
 Rev : 2.1 - 21-03-2023



Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021

Spare Parts Info

**ANIMO**  
 www.animo.eu

OpiVend x3 (TS / TL) Touch



\*Recommended Spare Part

Type : OPTIVEND (TS/TL) TOUCH  
 Articulenumber : 1010547

From mach. nr. : 1AG12345  
 Date : 01-2023


Page : 20 - 28  
 Rev : 2.1 - 21-03-2023

Rated voltage : 1N~ 220-240V 50-60Hz 3260W

Drawer : JK  
 Date : 26-05-2021

Spare Parts Info

**ANIMO**  
 www.animo.eu




Type : OPTIVEND 11 (TS/TL) TOUCH  
 Articulenumber : 1009958 / 1009964 / 1009970  
 Rated voltage : 1N~ 230V 50-60Hz 3260W

From mach.nr. : 1RE08597  
 Date : 05-2021  
 Drawer : JK  
 Date : 16-10-2020


Drawing nr. : S1009958  
 Rev. : 1.0 Page : 1 -1  
 Circuit Diagram






- bl blauw. blue. blau. bleu.
- br bruin. brown. braun. brun.
- gl geel. yellow. gelb. jaune.
- gr groen. green. grün. vert.
- ps paars. purple. violett. violet
- gs grijs. gray. grau. gris.
- rd rood. red. rot. rouge.
- rs roze. pink. rosa. rose.
- wt wit. white. weiß. blanc.
- zw zwart. black. Schwarz. noir


Type : OPTIVEND 22 (TS/TL) TOUCH	From mach.nr. : 1RE08597	Drawing nr. : S1009959	
Articlenumber : 1009959 / 1009965 / 1009971	Date : 05-2021	Rev. : 1.0	Page : 1 -1
Rated voltage : 1N~ 230V 50-60Hz 3260W	Drawer : JK Date : 16-10-2020	Circuit Diagram	



- bl blauw. blue. blau. bleu.
- br bruin. brown. braun. brun.
- gl geel. yellow. gelb. jaune.
- gr groen. green. grün. vert.
- ps paars. purple. violett. violet
- gs grijs. gray. grau. gris.
- rd rood. red. rot. rouge.
- rs roze. pink. rosa. rose.
- wt wit. white. weiß. blanc.
- zw zwart. black. Schwarz. noir

01234 = SPARE PART - ZIE/SEE/SIEHE/VOIR : SPARE PARTS INFO

Type : OPTIVEND 32 (TS/TL) TOUCH Articulenumber : 1009960 / 1009966 / 1009972	From mach.nr. : 1RE08597 Date : 05-2021	Drawing nr. : S1009960 Rev. : 1.0    Page : 1 -1	 www.animo.eu
	Rated voltage : 1N~ 230V 50-60Hz 3260W Drawer : JK Date : 16-10-2020	<h2>Circuit Diagram</h2>	




01234 = SPARE PART - ZIE/SEE/SIEHE/VOIR : SPARE PARTS INFO

- bl blauw. blue. blau. bleu.
- br bruin. brown. braun. brun.
- gl geel. yellow. gelb. jaune.
- gr groen. green. grün. vert.
- ps paars.purple.violett.violet
- gs grijs. gray. grau. gris.
- rd rood. red. rot. rouge.
- rs roze. pink. rosa. rose.
- wt wit. white. weiß. blanc.
- zw zwart. black. Schwarz. noir


Type : OPTIVEND 33 (TS/TL) TOUCH Articulenumber : 1009961 / 1009967 / 1009973	From mach.nr. : 1RE08597 Date : 05-2021	Drawing nr. : S1009961	
	Rated voltage : 1N~ 230V 50-60Hz 3260W	Drawer : JK Date : 16-10-2020	Rev. : 1.0 Page : 1 -1
Circuit Diagram			






[01234] = SPARE PART - ZIE/SEE/SIEHE/VOIR : SPARE PARTS INFO

- bl blauw. blue. blau. bleu.
- br bruin. brown. braun. brun.
- gl geel. yellow. gelb. jaune.
- gr groen. green. grün. vert.
- ps paars. purple. violett. violet
- gs grijs. gray. grau. gris.
- rd rood. red. rot. rouge.
- rs roze. pink. rosa. rose.
- wt wit. white. weiß. blanc.
- zw zwart. black. Schwarz. noir


Type : OPTIVEND 42 (TS/TL) TOUCH Articulenumber : 1009962 / 1009968 / 1009974	From mach.nr. : 1RE08597 Date : 05-2021	Drawing nr. : S1009962 Rev. : 1.0    Page : 1 -1	 www.animo.eu
	Rated voltage : 1N~ 230V 50-60Hz 3260W Drawer : JK Date : 16-10-2020	<h1>Circuit Diagram</h1>	



- bl blauw. blue. blau. bleu.
- br bruin. brown. braun. brun.
- gl geel. yellow. gelb. jaune.
- gr groen. green. grün. vert.
- ps paars.purple.violett.violet
- gs grijs. gray. grau. gris.
- rd rood. red. rot. rouge.
- rs roze. pink. rosa. rose.
- wt wit. white. weiß. blanc.
- zw zwart. black. Schwarz. noir

[01234] = SPARE PART - ZIE/SEE/SIEHE/VOIR : SPARE PARTS INFO


Type : OPTIVEND 43 (TS/TL) TOUCH	From mach.nr. : 1RE08597	Drawing nr. : S1009963	
Articlenumber : 1009963 / 1009969 / 1009975	Date : 05-2021	Rev. : 1.0	Page : 1 -1
Rated voltage : 1N~ 230V 50-60Hz 3260W	Drawer : JK	Circuit Diagram	
	Date : 16-10-2020		



[01234] = SPARE PART - ZIE/SEE/SIEHE/VOIR : SPARE PARTS INFO

- bl blauw. blue. blau. bleu.
- br bruin. brown. braun. brun.
- gl geel. yellow. gelb. jaune.
- gr groen. green. grün. vert.
- ps paars.purple.violett.violet
- gs grijs. gray. grau. gris.
- rd rood. red. rot. rouge.
- rs roze. pink. rosa. rose.
- wt wit. white. weiß. blanc.
- zw zwart. black. Schwarz. noir

Type : OPTIVEND 53 (TS/TL) TOUCH Articulenumber : 1011141 / 1011143 / 1011145	From mach.nr. : 1AG12345 Date : 01-2023	Drawing nr. : S1011141	
		Rev. : 1.0	Page : 1 -1
Rated voltage : 1N~ 230V 50-60Hz 3260W	Drawer : JK Date : 12-12-2022	<h1>Circuit Diagram</h1>	



Type : OPTIVEND 63 (TS/TL) TOUCH  
 Articulenumber : 1011142 / 1011144  
 Rated voltage : 1N~ 230V 50-60Hz 3260W

From mach.nr. : 1AG12345  
 Date : 01-2023  
 Drawer : JK  
 Date : 12-12-2022

Drawing nr. : S1011142  
 Rev. : 1.0    Page : 1 -1  
**Circuit Diagram**

